



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT**

**FOR CONTROL OF SCLEROTINIA ROT ON PEPPERS**

**PERMIT NUMBER - PER11440**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 1 JUNE 2009 TO 30 NOVEMBER 2024**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD  
Level 7, 141 Walker Street  
North Sydney NSW 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Product to be used:

SUMITOMO SUMISCLEX 500 FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L PROCYMIDONE as their only active constituent.

### Directions for Use:

#### Restrains

- DO NOT use this product in the home garden.
- DO NOT use on capsicums or chillies grown in protected environments (glasshouses, greenhouses or shade houses, or in other enclosed structures).

Crop Type	Plant Disease	Application Rate
PEPPERS (CAPSICUMS CHILLIES PAPRIKA)	SCLEROTINIA ROT ( <i>Sclerotinia minor</i> or <i>S. sclerotiorum</i> )	75 or 100 mL/100 L water

#### Critical Use Comments:

- Use 750 to 1200 L water per hectare depending on plant size. Apply 2-3 weeks after thinning or transplanting and then at 10-14 day intervals while conditions favour disease. Use the high rate when disease pressure is severe. Ensure thorough wetting of lower stems.
- Users must follow all directions as contained under Additional conditions below such as safety directions and re-entry instructions.

#### Withholding Period:

DO NOT HARVEST FOR 9 DAYS AFTER FINAL APPLICATION.

#### Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation does not require a permit to legalise this off-label use in that state.

#### Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

#### To Avoid Crop Damage

The sensitivity of some species and varieties of the crops to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

#### Export of Produce

Exported produce or animals must have appropriate residue tolerance limits established in the importing countries and any residues must not exceed the tolerance limits.

### ***Storage and disposal***

Store product in a locked room or place away from children, animals, food, feedstuffs, seed and fertilisers.

### **Safety directions**

**WARNING** - products approved under this permit contain procymidone which causes birth defects in laboratory animals. Women of child bearing age should avoid contact with procymidone.

Very dangerous particularly the concentrate. Poisonous if absorbed by skin contact or inhaled or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, preparing the product for use and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and elbow-length PVC gloves and disposable mist mask. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

**RE-ENTRY:** DO NOT enter treated areas for 9 days after spray application unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing), chemical resistant gloves and boots. Clothing must be laundered after each day's use.

### **OTHER MATTERS:**

Continued issuance of this permit is subject to the outcomes of the current APVMA review of procymidone. This permit may be impacted by the outcomes of these reviews.

Issued by the Australian Pesticides and Veterinary Medicines Authority

#### Notes:

12/12/2011 - Permit extended to 31 January 2015 (Permit version 2).

17/11/2014- Permit extended to 31 January 2020(Issued as Version 3).

14/08/2017 -VIC included under jurisdiction. S25A (permit) statement removed. Issued as version 4.

Permit amended to update holder details. Permit version 5 issued 25 November 2017.

Permit amended to update holder details. Permit version 6 issued 26 February 2018

1/11/2019 – Permit holder address changed and permit extended to 31/01/2025 (Issued as version 7)