



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT**

FOR CONTROL OF AUSTRALIAN PLAGUE LOCUST

PERMIT NUMBER – PER11843

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 29 OCTOBER 2009 to 31 JULY 2020

Permit Holder:

NSW DEPARTMENT OF PRIMARY INDUSTRIES
121 KITE STREET
ORANGE NSW 2800

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

FYFANON 440 EW INSECTICIDE

PLUS other registered products containing: 440 g/L MALDISON as the only active constituent.

NUFARM MALDISON 500 INSECTICIDE

PLUS other registered products containing: 500 g/L MALDISON as the only active constituent.

FYFANON 1000EC INSECTICIDE

PLUS other registered products

Containing: 1000 g/L MALDISON as their only active constituent.

HY-MAL INSECTICIDE

PLUS other registered products containing: 1150 g/L MALDISON as the only active constituent.

FYFANON ULV INSECTICIDE

PLUS other registered products containing: 1169 g/L MALDISON as the only active constituent.

NUFARM CHLORPYRIFOS 500 EC INSECTICIDE

PLUS other registered products

Containing: 500 g/L CHLORPYRIFOS as their only active constituent.

Directions for Use:

Crop/Situation	Insect Pest	Rate
CROPS LISTED ON THE APPROVED LABEL	Australian plague locust (<i>Chortoicetes terminifera</i>) Spurthroated Locust (<i>Austracris guttulosa</i>) Migratory Locust (<i>Locusta migratoria</i>)	No greater than the label rate for the crop being treated.

Jurisdiction:

NSW, NT, QLD, SA and WA only.

Critical Use Comments:

Note the highest label rate for a particular crop may be less than the label rate for Australian plague locust. Therefore efficacy may be less than expected.

WITHHOLDING PERIODS **(HARVEST, GRAZING, EXPORT INTERVALS)**

HARVEST (ALL CROPS)

Adhere to the withholding periods for crops as specified on the approved label of the registered product.

If the crop or pasture is to be cut for stockfeed, do not sell any stock that have been fed cut material for export slaughter until the Export Slaughter Interval (ESI) set below has been observed. *The ESI is the minimum period that must elapse between removal of grazing livestock to clean pasture or clean feed and slaughter.*

GRAZING TREATED AREAS FOR DOMESTIC & EXPORT MARKETS & FOR LIVESTOCK PRODUCING MILK FOR HUMAN CONSUMPTION

LIVESTOCK DESTINED FOR THE DOMESTIC MARKET & LIVESTOCK PRODUCING MILK FOR HUMAN CONSUMPTION:

- **LIVESTOCK DESTINED FOR THE DOMESTIC MARKET**

Observe the grazing withholding periods as specified on the registered product labels before grazing treated pastures or fodder crops or cutting them for stockfeed.

OR

If over-spraying of grazing livestock is unavoidable and does occur, withhold stock from slaughter until the Export Grazing Interval (EGI) or Export Slaughter Interval is met. *The EGI is the minimum period that must elapse between the application of the chemical product and slaughter of the stock, where grazing has continued on the crop/pasture from the time that the chemical product was applied.*

- **LIVESTOCK DESTINED FOR EXPORT MARKETS:**

The label withholding period for grazing only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that the Export Slaughter Interval or the Export Grazing Interval is observed before stock are sold or slaughtered.

- **LIVESTOCK PRODUCING MILK FOR HUMAN CONSUMPTION**

Observe the grazing or cutting for stockfeed withholding period specified on the registered product label before grazing lactating dairy stock on treated pastures or fodder crops, or before cutting treated crops as feed for lactating dairy stock.

EXPORT SLAUGHTER INTERVALS (ESI):

CHLORPYRIFOS: Livestock that have been grazing on or fed treated material from treated areas and/or over-sprayed with products containing chlorpyrifos should be placed on clean feed for 56 days (8 weeks) prior to export slaughter.

EXPORT GRAZING INTERVAL (EGI):

CHLORPYRIFOS: Livestock that have been grazing on treated crops and/or over-sprayed with products containing chlorpyrifos should not be sold for export slaughter for 56 days (8 weeks) after application of the chemical product, unless the Export Slaughter Interval has been observed.

No ESI or EGI are available for areas treated with MALDISON and livestock management MUST adhere to the requirements of the above withholding periods.

ADDITIONAL INFORMATION:

These chemicals may persist on dry pasture (or in harvested and stored animal feed, e.g. hay) for long periods. Livestock fed on pastures that were treated when drying off or while dry, may have residues at levels unacceptable to our overseas markets. Similarly, feeds harvested from pastures or crops treated when drying off or while dry, may have unacceptable levels of residues. The pasture, or crop, must be regarded as contaminated until such time as there has been substantial re-growth (i.e. following good rains or the autumn break).

Livestock grazing or receiving contaminated feed should be managed in accordance with the Export Intervals described above. If further advice is required, contact your local State Department of Agriculture or Primary Industries, or the Australian Pesticides and Veterinary Medicines Authority (APVMA).

VENDOR DECLARATION:

Vendors may use Question 9 on the NVD (Cattle) or Question 7 on the NVD (Sheep) to confirm to buyers that the stock have been managed in accordance with the requirements of Permit PER11843.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes:

11/08/2010. Expiry date extended to 30/10/11. Issued as version 2.

31/08/2010. Chlorpyrifos based products added to *Products to be used*. Issued as version 3

04/02/2011. Addition of EAFI, ESI and EGI information for products covered by this permit and pest extension to include spur throated and migratory locust. Issued as version 4.

04/08/2015. Permit re-issued to 31/07/2020. NT, QLD, SA & WA included to jurisdiction. Issued as version 5.