



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT**

**FOR CONTROL OF SPUR-THROATED LOCUSTS IN TREED ROOSTING SITES
IN PROXIMITY TO CROPS AND PASTURES**

PERMIT NUMBER – PER12751

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 11 MAY 2011 to 31 JULY 2020

Permit Holder:

NSW DEPARTMENT OF PRIMARY INDUSTRIES
161 KITE STREET
ORANGE NSW 2800

Persons who can use the product under this permit:

Licensed aerial operators only.

CONDITIONS OF USE

Products to be used:

NUFARM FENITROTHION 1000 INSECTICIDE

Plus other REGISTERED EC Formulated PRODUCTS

Containing: 1000 g/L FENITROTHION as the only Active Constituent

SUMITOMO SUMITHION ULV PREMIUM GRADE INSECTICIDE

Containing: 1230 g/L FENITROTHION as the only Active Constituent

NUFARM REGENT 200SC INSECTICIDE

Plus other REGISTERED PRODUCTS

Containing: 200 g/L FIPRONIL as the only Active Constituent

ADONIS 3UL INSECTICIDE

Containing: 3 g/L FIPRONIL as the only Active Constituent

Directions for Use:

Situations	Insect Pest	Product & Rate
<p>Situations: Roosting sites in trees and bushlands in proximity to pasture and broadacre cropping.</p> <p>Apply in early morning or evening while swarms are roosting.</p>	<p>Spur-throated Locust (<i>Austracris guttulosa</i>)</p>	<p>Fenitrothion</p> <p><u>Fenitrothion 1000 g/L EC products:</u> Maximum 350 mL product/ha</p> <p><u>Fenitrothion 1230 g/L ULV product:</u> Maximum 285 mL product/ha</p> <p>Fipronil</p> <p><u>Fipronil 200 g/L EC products:</u> Maximum 6.25 mL product/ha</p> <p><u>Fipronil 3 g/L UL product:</u> Maximum 420 mL product/ha</p>

Critical Use Comments:

- Apply via aerial application only.
- DO NOT apply to roosting sites in trees and bushlands in proximity to crops after commencement of flowering (i.e. visible green bud stage).

Maximum number of applications per unit area per year

- FENITROTHION: DO NOT apply more than 3 applications per unit area per year observing a minimum re-treatment interval of 14 days between consecutive applications.
- FIPRONIL: DO NOT apply more than 1 application per unit area per year.

Jurisdiction:

NSW, NT, QLD & WA only.

WITHHOLDING PERIODS
(GRAZING & EXPORT INTERVALS)

GRAZING TREATED AREAS FOR EITHER:

1. DOMESTIC MARKETS & FOR LIVESTOCK PRODUCING MILK FOR HUMAN CONSUMPTION, and/or
2. EXPORT MARKETS

REFER TO THE FOLLOWING RELEVANT SECTIONS:

LIVESTOCK DESTINED FOR THE DOMESTIC MARKET & LIVESTOCK PRODUCING MILK FOR HUMAN CONSUMPTION

FENITROTHION:

DO NOT GRAZE OR CUT TREATED AREAS FOR STOCK FOOD FOR 14 DAYS AFTER APPLICATION.

FIPRONIL:

DO NOT GRAZE OR CUT TREATED AREAS FOR STOCK FOOD FOR 14 DAYS AFTER APPLICATION or

LIVESTOCK WITHHOLDING PERIOD: WITHHOLD STOCK FROM SLAUGHTER FOR 21 DAYS AFTER APPLICATION, WHERE STOCK WERE PRESENT IN THE TREATED AREA AT THE TIME OF APPLICATION.

LIVESTOCK DESTINED FOR EXPORT MARKETS

The above withholding periods for grazing or cutting for stock food only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that the Export Slaughter Interval (ESI) or the Export Grazing Interval (EGI) stated below for the relevant chemical product used is observed before stock are sold or slaughtered.

EXPORT ANIMAL FEED INTERVAL (EAFI):

FENITROTHION & FIPRONIL: A minimum period of 14 DAYS must elapse between the application of fipronil and grazing or harvesting the crop/pasture for animal feed.

EXPORT SLAUGHTER INTERVALS (ESI):

FIPRONIL: Livestock that have been grazing on or fed treated material from treated areas and/or over-sprayed with products containing fipronil should be placed on clean feed for 14 DAYS prior to export slaughter.

FENITROTHION: For fenitrothion the EGI below applies.

EXPORT GRAZING INTERVAL (EGI):

FENITROTHION: Livestock that have been grazing on treated areas and/or over-sprayed with products containing fenitrothion should not be sold for export slaughter until 14 DAYS has elapsed following application of the chemical product.

FIPRONIL: Livestock that have been grazing on treated areas and/or over-sprayed with products containing fipronil should not be sold for export slaughter until 21 DAYS has elapsed following application of the chemical product, unless the Export Slaughter Interval has been observed.

ADDITIONAL INFORMATION:

These chemicals may persist in treated areas (including dry pasture and stored animal feed, e.g. hay) for long periods. Livestock fed on areas that were treated when drying off or while dry, may have residues at levels unacceptable to our overseas markets. Similarly, feeds harvested from treated areas when drying off or while dry, may have unacceptable levels of residues. The treated area must be regarded as contaminated until there has been substantial re-growth (i.e. following good rains or the autumn break).

Livestock grazing or receiving contaminated feed should be managed in accordance with the Export Intervals described above. If further advice is required, contact your local State Department of Agriculture or Primary Industries, or the Australian Pesticides and Veterinary Medicines Authority (APVMA).

VENDOR DECLARATION:

Vendors may use Question 9 on the NVD (Cattle) or Question 7 on the NVD (Sheep) to confirm to buyers that the stock have been managed in accordance with the requirements of Permit PER12751.

ADDITIONAL CONDITIONS:

PERSONS who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in Details of permit and Conditions of Permit.

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label, including:

- Mixing
- Application
- Protection of Livestock
- Protection of Wildlife, Fish, Crustacea & Environment
- Restraints
- Storage & Disposal
- Safety Directions
- First Aid

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes:

05/08/2015. Re-issued with an expiry date to 31/07/2020. QLD & WA added to jurisdiction. Issued as version 2.