



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF CAPEWEED AND CLOVER IN CAULIFLOWER**

PERMIT NUMBER – PER13147

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 21 NOVEMBER 2011 TO TO 31 MAY 2029

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally

CONDITIONS OF USE

Products to be used:

LONTREL HERBICIDE (APVMA No. 31635)

PLUS OTHER REGISTERED PRODUCTS

Containing: 300 g/L CLOPYRALID present as the triisopropanolamine salt as the only active constituent.

RESTRAINTS:

- DO NOT allow spray drift onto susceptible crops.

General spray drift restraints:

Specific definitions for terms used in these conditions can be found at Apvma.gov.au/spraydrift

- DO NOT allow bystanders to come into contact with the spray cloud.
- DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.
- DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.
- Do NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one or two hours after sunrise.

Directions for Use:

Crop	Weed	Rate
CAULIFLOWER	Capeweed (<i>Arctotheca calendula</i>) Clover (<i>Trifolium</i> spp.)	150 - 300 mL product/ ha

Critical Use Comments:

- Apply one spray per season by calibrated boom sprayer or similar equipment, at early post-emergence.
- Apply to weeds that are actively growing and not larger than 5cm in diameter.
- The ground spray rig should be accurately calibrated to deliver 200-300 micron droplets and a spray volume not less than 50 L water/ha.
- Ensure through coverage of weed foliage.
- Refer to “Plant Back Period” details on the product label to avoid problems with clopyralid residue carryover and susceptible crops.

Safety directions:

Will irritate the skin. Will damage the eyes. May irritate the nose and throat. Avoid contact with eyes and skin. DO NOT inhale the spray mist. When opening the container, preparing the spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist, (or equivalent clothing) and elbow-length chemical resistant gloves and goggles and disposable mist face mask covering the mouth and nose. If product on skin, immediately wash area with soap and water. If product or spray in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

Withholding Period:

Harvest: Do not harvest for 8 weeks after application.

Jurisdiction:

WA only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Export of treated produce

Maximum Residue Limits (MRLs) or Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. A TMRL has been established for CLOPYRALID in CAULIFLOWER. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 24/04/2018 - Permit amended to update holder details. Permit Version 3 issued.

04/09/2019 – Expiry extended to 30 September 2024. ‘Export of Produce’ statement updated. Permit holder address update. Permit issued as Version 4.

27/05/2024 – Permit updated to include restraints, safety directions and S161 statement. Permit expiry extended to 31/05/2029. Permit issued as Version 5.