



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF SPIKE RUSH IN DRAINS**

**PERMIT NUMBER – PER13918**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 1 APRIL 2013 TO 31 MARCH 2025**

**Permit Holder:**

NSW DEPARTMENT OF PRIMARY INDUSTRIES  
161 Kite Street  
ORANGE NSW 2800

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

ROUNDUP BIACTIVE HERBICIDE (APVMA No. 48518)

PLUS OTHER REGISTERED PRODUCTS

Containing: 360 g/L GLYPHOSATE PRESENT AS THE ISOPROPYLAMINE SALT as the only active constituent.

### Directions for Use:

Crop	Pest	Rate
Drains (mostly in estuarine and cropping lands)	Spike Rush ( <i>Eleocharis</i> spp.)	2 L/100 L water

### Critical Use Comments:

- Apply by hand or boom spray in a water volume of 400 L/ha for good coverage and penetration.
- Avoid run-off from the leaves.
- Where the spike rush is tall and dense, a second consecutive application may be required.

### Jurisdiction:

NSW only.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 30/03/2020 –Permit expiry extended to 31/03/2025. Permit issued as Version 2.