



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF POWDERY MILDEW IN PROTECTED GROWN  
CAPSICUMS (PEPPERS) AND CUCUMBERS**

**PERMIT NUMBER – PER14050**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 1 JUNE 2013 TO 31 MARCH 2028**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD  
Level 7, 141 Walker Street  
NORTH SYDNEY NSW 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

FLINT 500 WG FUNGICIDE (APVMA No. 53871)

Containing: 500 g/kg TRIFLOXYSTROBIN as the only active constituent.

### RESTRAINT:

DO NOT mix this product with any type of spray additive in any crop.

### Directions for Use:

Crop	Disease	Rate
Protected-grown cucumbers	Powdery Mildew ( <i>Sphaerotheca fuliginea</i> )	105-140 g/ha  Use sufficient spray volume to ensure even, thorough coverage of the crop canopy.
Protected-grown capsicum	Powdery Mildew ( <i>Leveillula taurica</i> )	20-25 g/100L  Use when spray volume exceeds 800 L/ha  or  200-300 g/ha  Use when spray volume is less than 800 L. Do not apply in volumes less than 500 L/ha.

### Critical Use Comments:

- Apply when conditions favour disease development.
- Use sufficient spray volume to ensure even coverage throughout the crop canopy.
- Use higher rate when disease pressure is severe. Note: Heavy infection of powdery mildew may also occur on the underside of leaf/foilage.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 4 weeks after the initial treatment.
- DO NOT apply consecutive Flint treatments, including from one season to the next. Always alternate Flint with a registered fungicide from a different chemical mode of action group.

### Withholding Period:

Harvest: Do not harvest for 3 days after application.

### Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

### *To Avoid Crop Damage*

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

### *Export of treated produce*

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. TMRLs have been established for TRIFLOXYSTROBIN in CUCUMBERS and PEPPERS, SWEET [CAPSICUM]. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Permit amended to update holder details. Permit version 2 issued 26 April 2018.

Note: 17/03/2023 – Permit updated to add label restraints and update permit format to current standard. Permit expiry extended to 31/03/2028. Permit issued as Version 3.