



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**TO CONTROL STEM ROT/WHITE MOULD &
RHIZOCTONIA PEG AND POD ROT
IN PEANUTS**

PERMIT NUMBER - PER14069

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 11 APRIL 2013 TO 31 MARCH 2018.

Permit Holder:

PEANUT COMPANY OF AUSTRALIA LTD
133 Haly Street
KINGAROY QLD 4610

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

ALL REGISTERED PRODUCTS

Containing: 250 g/L AZOXYSTROBIN as their only active constituent.

OR

ALL REGISTERED PRODUCTS

Containing: 800 g/Kg AZOXYSTROBIN as their only active constituent.

Directions for Use:

| Crop | Disease | Rate |
|---------|---|---|
| PEANUTS | STEM ROT/WHITE MOULD (<i>Sclerotium rolfsii</i>) & RHIZOCTONIA PEG AND POD ROT (<i>Rhizoctonia solani</i>) | 250 g/L products: 1350-1790 mL product/ha <u>OR</u> 800 g/kg products: 419-559 g product/ha |

Critical Use Comments:

- Apply as a foliar application, at approximately 60 and 90 days after planting.
- Apply in a minimum of 150L of water per Ha. Volume of water applied should increase proportionately with canopy size and density.
- DO NOT apply at less than 30 day intervals.
- DO NOT apply more than 2 applications of Amistar WG or Amistar 250 SC per season.
- To minimise residues from treated areas entering waterways in runoff, applications should not be applied if heavy rain is imminent, and irrigation should not take place within 24 hours of treatment.
- Resistance Management Strategy:
 - DO NOT apply more than 2 consecutive applications of strobilurin fungicides (group K) per season.
 - DO NOT apply more than 3 applications of strobilurin fungicides (group K) per season.

Withholding Periods:

Harvest: DO NOT harvest for 28 days after application

Grazing: DO NOT graze or cut for stock feed for 28 days after application

Jurisdiction:

NSW, QLD & NT only

Additional Conditions:

THIS PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

TO AVOID CROP DAMAGE:

The sensitivity of some species and varieties of the crops to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Export of Produce:

Exported produce or animals must have appropriate residue tolerance limits established in the importing countries and any residues must not exceed the tolerance limits.

Issued by

Delegated Officer