



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF VARIOUS ENVIRONMENTAL WEEDS IN NATIONAL
PARKS AND NATURE RESERVES**

PERMIT NUMBER - PER14249

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 15 NOVEMBER 2013 UNTIL 30 APRIL 2030

Permit Holder:

NATIONAL PARKS AND WILDLIFE SERVICE,
4 Parramatta Square
12 Darcy Street
PARRAMATTA NSW 2150

Persons who can use the product under this permit:

Staff or contractors employed/contracted by NSW Department of Planning, Industry and Environment; and agencies/organisations represented on NSW Regional Weed Committees; and staff or contractors employed by the ACT Government, who are qualified and experienced in the handling and use of agricultural chemicals.

CONDITIONS OF USE

Products to be used:

APPARENT WOODY HERBICIDE (APVMA No. 64014)

PLUS OTHER REGISTERED PRODUCTS

Containing: 300 g/L TRICLOPYR PRESENT AS THE BUTOXYETHYL ESTER and 100 g/L PICLORAM PRESENT AS THE HEXYLOXYPROPYLAMINE SALT as the only active constituents.

GRAZON EXTRA HERBICIDE (APVMA No. 60830)

PLUS OTHER REGISTERED PRODUCTS

Containing 300 g/L TRICLOPYR PRESENT AS THE BUTOXYETHYL ESTER, 100 g/L PICLORAM PRESENT AS THE HEXYLOXYPROPYLAMINE SALT and 8 g/L AMINOPYRALID PRESENT AS HEXYLOXYPROPYLAMINE SALT as the only active constituents.

Directions for Use:

Crop	Pest	Rate
Areas of native vegetation and non-cropland areas	Environmental weeds (Refer to attachment 1)	250 to 500 mL per 100 L water

Critical Use Comments:

- Apply in accordance with details as provided in **Attachment 1**.
- A maximum number of 3 applications per year is permitted with a minimum re-treatment interval of 60 days between consecutive applications.
- Apply to the foliage of target species via knapsack or handgun. Use higher rates for larger plants.
- Apply to plants less than 1.5 metres tall.
- Apply from October to May unless stated otherwise in **Attachment 1**.

Jurisdiction:

NSW and ACT only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Pesticide applications **MUST** be carried out in accordance with ALL relevant national and state drinking water and environmental legislation, statutory regulations, and standards.

Users must ensure that the pesticide does not enter waters either directly or indirectly through spray drift or runoff.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 17/04/2020 – permit amended to include product numbers and to extend expiry date to 31/03/2025. Issued as version 2.

4/11/2020 – permit amended to include the ACT in the jurisdictions. Issued as version 3.

18/10/2021 – permit amended to update holder address, product and add two weed species. Issued as version 4.
07/04/2025 – Permit amended to add s161 statement, update holder address, and add Spanish Heath (*Erica lusitanica*) to listed weeds. Permit expiry extended to 30/04/2030. Permit issued as Version 5.

ATTACHMENT 1

Exotic and Non-indigenous;	Rate of Application	Critical Comments
<p>Forbs including: Hairy Commelina Wandering Jews Busy Lizzie Winged everlasting Annual ragweed Burrs Black knapweed Burr ragweed Cats ear Dandelion Fleabane Hawkweeds Creeping knapweed Goatsbeard Hemlock Lupins Nightshades Ox-eye daisy Persian clover Potentilla Ragwort Shasta daisy Skeleton weed Sowthistle African Marigold Large-flowered Collomia Mulleins</p>	<p><i>Commelina benghalensis</i> <i>Tradescantia spp.</i> <i>Impatiens walleriana</i> <i>Ammobium alatum</i> <i>Ambrosia artemisiifolia</i> <i>Xanthium spp.</i> <i>Centaurea nigra</i> <i>Ambrosia confertiflora</i> <i>Hypochaeris radicata</i> <i>Taraxacum officinale</i> <i>Conyza canadensis</i> <i>Hieracium spp.</i> <i>Acroptilon repens</i> <i>Tragopogon spp.</i> <i>Conium maculatum</i> <i>Lupinus spp</i> <i>Solanum spp</i> <i>Leucanthemum vulgare</i> <i>Trifolium resupinatum</i> <i>Potentilla spp.</i> <i>Senecio spp</i> <i>Leucanthemum maximum</i> <i>Chondrilla juncea</i> <i>Sonchus spp.</i> <i>Cineraria lyratiformis</i> <i>Collomia grandiflora</i> <i>Verbascum spp.</i></p>	<p>250 to 500 mL / 100L water</p> <p>Bizzy lizzie and Wandering Jews: use higher rate, follow-up required</p> <p>Fleabane: Apply at rosette stage</p>

Exotic and Non-indigenous;	Rate of Application	Critical Comments
<p>Woody Vines including: Madeira Vine <i>Anredera cordifolia</i> Japanese Honeysuckle <i>Lonicera japonica</i> Morning Glorys <i>Ipomoea spp.</i> Passionfruits <i>Passiflora spp.</i></p>	250 to 500 mL / 100L water	Spray thoroughly
<p>Trees and Shrubs including: (less than 1.5m tall) including: Black locust <i>Robinia pseudoacacia</i> Elms <i>Ulmus spp</i> English Ash <i>Fraxinus excelsior</i> Cocos Palm <i>Syragrus romanzoffiana</i> Umbrella Tree <i>Schefflera actinophylla</i> Coral Trees <i>Erythrina spp.</i> Cape tulip <i>Moraea spp.</i> Cotoneaster <i>Cotoneaster glaucophyllus</i></p> <p>Coffee <i>Coffea arabica</i> Brazilian Cherry <i>Psidium cattleianum</i> Guava <i>Psidium guajava</i> Orange Jessamine <i>Murraya paniculata</i> Mickey mouse bush <i>Ochna serrulate</i> Spanish Heath <i>Erica lusitanica</i></p>	500 mL / 100L water	<p>Moraea: suppression only Coral trees: Spray reshooting cut limbs</p> <p>Coffee and Psidium: Spray seedlings and coppice shoots only</p>