



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
FOR PRE-EMERGENT CONTROL OF SELECTED WEEDS IN CHICKPEAS**

PERMIT NUMBER - PER14346

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 5 DECEMBER 2013 to 30 NOVEMBER 2018

Permit Holder:

BOTANICAL RESOURCES AUSTRALIA - AGRICULTURAL SERVICES Pty Ltd
44 – 46 Industrial Drive
ULVERSTONE TAS 7315

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

OSPRAY SIMAZINE 500 FLOWABLE HERBICIDE
FARMOZ SIMAZINE 500 FLOWABLE HERBICIDE
PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L SIMAZINE as their only active constituent

FLOWABLE GESATOP 600 SC LIQUID HERBICIDE
CROP CARE SIMAZINE HI-LOAD 600 HERBICIDE
PLUS OTHER REGISTERED PRODUCTS

Containing: 600 g/L SIMAZINE as their only active constituent

Directions for Use:

Crop Type	Target Weed	Rate
CHICKPEAS Post-sowing, pre-emergent (of weeds)	Selected Broadleaf and Grass Weeds (as per product label) Incl. capeweed, clover, dock, doublegee, Indian hedge, mustard, radish, common sow thistle, shepherd's purse and wireweed.	<u>Simazine 500 g/L product</u> 1 – 2 L / ha <u>Simazine 600 g/L product</u> 830 mL – 1.7 L / ha

Critical Use Comments

- Apply one pre-emergent (of weeds) spray treatment immediately post-sowing.
- Use suitable ground application equipment. Ensure equipment is correctly calibrated.
- Use lower rate of simazine on lighter soils, and higher rate on heavier textured soils.
- Apply to a moist, fine seedbed free of ridges, clods and trash.
- Sufficient rainfall (20 – 30 mm) or irrigation is required within three weeks of application for optimal performance.
- DO NOT apply to very wet soils if rain is likely or soil is prone to waterlogging.
- Adhere to any *Restrictions* listed under *Directions for Use* on the product label.

Withholding Period:

Harvest:

Not required when used as directed.

Grazing:

DO NOT graze or cut for stock food for 9 WEEKS after application.

Jurisdiction:

TAS only.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in DETAILS OF PERMIT and CONDITIONS OF PERMIT.

Issued by

Delegated Officer