



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF DAMPING OFF  
IN DIRECT SEEDED BROCCOLI CROPS**

**PERMIT NUMBER – PER14352**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 28 JANUARY 2014 TO 30 NOVEMBER 2028**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD  
Level 7, 141 Walker Street  
NORTH SYDNEY NSW 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

APRON XL 350 ES FUNGICIDE SEED TREATMENT (APVMA No. 50195)

Containing: 350 g/L METALAXYL-M as the only active constituent.

### Restraints:

DO NOT use treated seed for animal or human consumption.

DO NOT feed treated seeds to animals, including poultry.

DO NOT allow treated seed to contaminate grain or other seed intended for animal or human consumption.

DO NOT feed treated seed, or otherwise expose, to wild or domestic birds.

### Directions for Use:

Crop	Disease	Rate
Broccoli	Damping-off ( <i>Pythium &amp; Phytophthora</i> spp.)	100 – 200 mL / 100 kg seed

### Critical Use Comments:

- Premix product with water to form a slurry with a total volume of 5-10 mL slurry per kilogram of seed.
- Apply slurry before sowing at a rate of 5-10 mL of slurry per kilogram of seed by shaking with seed in a tin, enclosed drum or plastic bag.
- DO NOT store treated seed for more than 6 months before sowing.
- Products may be applied in combination or alone depending upon target pathogen. It is recommended that causal pathogens be identified as the earliest time to determine appropriate treatments required.
- When treated seed is stored it should be kept apart from other grain and the bags or other containers should be clearly marked to indicate the contents have been treated. Bags which have held treated seed should not be used for any other purpose.

### Withholding Period:

Harvest: Not required when used as directed.

### Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Permit amended to extend expiry date. Permit version 3 issued 30 January 2019. Note: Permit amended to update holder details. Permit version 2 issued 30 April 2018.

Note: 15/11/2023 – Permit updated to remove product and use for rhizoctonia as the use was added to label. Additional critical use comment added for clarity of use instructions. Restraints added. Additional conditions updated to current standards. S161 statement added. Permit expiry extended to 30/11/2028. Permit issued as Version 4.