



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT**

FOR PRE-EMERGENT WEED CONTROL IN BRUSSELS SPROUTS

PERMIT NUMBER - PER14432

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 23 MAY 2014 TO 30 JUNE 2024

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally

CONDITIONS OF USE

Product to be used:

RALLIS PENDIMETHALIN 330 EC HERBICIDE (APVMA No. 60534)
PLUS OTHER REGISTERED PRODUCTS

Containing: 330 g/L PENDIMETHALIN as the only active constituent.

FARMALINX PANDA 435 HERBICIDE (APVMA No. 68776)
PLUS OTHER REGISTERED PRODUCTS

Containing: 435 g/L PENDIMETHALIN as the only active constituent.

FMC PENDIMETHALIN 440 EC HERBICIDE (APVMA No. 69172)
PLUS OTHER REGISTERED PRODUCTS

Containing: 440 g/L PENDIMETHALIN as the only active constituent.

STOMP AQUA HERBICIDE (APVMA No. 69004)
PLUS OTHER REGISTERED PRODUCTS

Containing: 455 g/L PENDIMETHALIN as the only active constituent.

RALLIS PANIDA MAX HERBICIDE (APVMA No. 63318)
PLUS OTHER REGISTERED PRODUCTS

Containing: 475 g/L PENDIMETHALIN as the only active constituent.

Directions for Use:

Crop	Pest	Rate
Brussels sprouts	Broadleaf and grass weeds, as listed on product labels.	<u>330g/L PENDIMETHALIN</u> 2-3 L/ha
		<u>435g/L PENDIMETHALIN</u> 1.5-2.3 L/ha
		<u>440g/L PENDIMETHALIN</u> 1.5 – 2.25 L/ha
		<u>455g/L PENDIMETHALIN</u> 1.5 – 2.2 L/ha
		<u>475g/L PENDIMETHALIN</u> 1.37 – 2.11 L/ha

Critical Use Comments:

- Make one application per crop by boomspray (use a spray volume of 50-200 L/ha).
- Apply to a firm seedbed, free from ridges, clods and trash 2-7 days before transplanting.
- Use the higher rates on heavier textured soils or those with a higher organic matter content.
- For optimum performance, incorporate with 12 to 25 mm of spray irrigation (or when rainfall is expected within one day) and ensure minimal mechanical disturbance to the seedbed at transplanting.
- DO NOT apply after transplanting, as damage will occur.
- DO NOT apply where water logging is likely to occur after transplanting, as crop stunting will occur.

- Do not use product on soils with an organic matter content above 6%, as inconsistent weed control will occur.
- Refer to product label for information on minimum intervals required prior to sowing following crops.
- Refer to 'Resistance Warning' on the product label for information on resistance management.

Withholding Period:

Harvest: Not required when used as directed.

Grazing: Not required when used as directed.

Jurisdiction:

ALL STATES, except Vic.

(Note: Victoria is not included in this permit because their 'control-of-use' legislation means that a permit is not required to legalise this off-label use in that state).

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 1/05/2018 – Permit amended to update holder details. Permit issued as version 2.

08/04/2019 – Permit expiry date extend to 30 June 2024. 'Directions for use' table updated to clarify that weeds to be controlled are as per product labels. Reference to 'following crops' and 'resistance warning' statements on product label added. Permit issued as version 3.