

# PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT

# FOR CONTROL OF GREY MOULD DISEASE IN SNOW PEAS AND SUGAR SNAP PEAS

### **PERMIT NUMBER – PER14505**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under Section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in a manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

#### THIS PERMIT IS IN FORCE FROM 1 JULY 2014 TO 30 JUNE 2024

### **Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD Level 8, 1 Chifley Square SYDNEY NSW 2000

## Persons who can use the product under this permit:

Persons generally

#### **CONDITIONS OF USE**

#### **Products to be used:**

NUFARM PROTECTOR 400 SC FUNGICIDE (APVMA NO. 67725) PLUS OTHER REGISTERED PRODUCTS Containing: 400 g/L PYRIMETHANIL as the only active constituent.

SCALA 600 SC FUNGICIDE (APVMA No. 60445)
PLUS OTHER REGISTERED PRODUCTS
Containing: 600 g/L PYRIMETHANIL as the only active constituent.

### **Directions for Use:**

Crop	Target Pest	Application Rate
SNOW PEAS SUGAR SNAP PEAS (Protected and Field Situations)	Grey Mould (Botrytis cinerea)	400 g/L product: 200 mL/100L or 2 L/ha 600 g/L product: 125 mL/100L or 1.25 L/ha

### **Critical Use Comments:**

- DO NOT apply more than three (3) applications per crop. Apply at 7-10 day intervals, alternating with a fungicide of a different chemical group.
- DO NOT apply more than two (2) consecutive applications per crop.
- Apply when conditions favour disease development (during flowering).
- Use the shorter application interval when disease pressure is high.
- Use water volumes that ensure adequate penetration of the plant canopy and coverage of foliage, flowers and/or fruit.
- Refer to product labels for information on re-entry period.
- Follow a complete disease management program for Botrytis (Grey Mould) by rotating with fungicides from different chemical groups as per the CropLife Fungicide Resistance Management Guidelines.

# **Phytotoxicity Warning:**

The vapour activity of products included in this permit may cause damage (brown or necrotic spots) to crops grown in enclosed areas (e.g., glasshouses and plastic tunnels), particularly under conditions of poor ventilation and high humidity. The intensity and frequency of these effects depend on the relative humidity (i.e. above 80%), duration of vapour exposure and concentration of the spray solution.

### To minimise the risk of crop damage:

- Tests should be conducted on a small number of plants to demonstrate tolerance, prior to large scale use. Plant growth stage and environmental conditions should be similar for the test and any subsequent large-scale use.
- Apply to only field-grown plants, or to plants grown in WELL-VENTILATED glass houses, plastic tunnel houses, or similar protected cropping structures.
- Ensure any protected environment is well ventilated during and following application (for at least two hours following application).

# Withholding Periods:

Harvest: DO NOT harvest for 3 DAYS after last application. Grazing: DO NOT graze treated crops or cut for stock feed.

### **Jurisdiction:**

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

## **Additional Conditions:**

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with the instructions on its label.

Persons who wish to prepare for use and/or use products for purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

## **Export of Treated Produce:**

To allow treated produce to be supplied or otherwise made available for consumption, a temporary MRL of T10 mg/kg has been established for Pyrimethanil on Podded Pea (young pods) [snow and sugar snap]. This TMRL applies only to produce marketed and consumed in Australia. Where Pyrimethanil treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries, and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 10/04/2019 – Permit expiry date extended to June 2024. Reference to re-entry period on product label added. Permit issued as version 4.

05/06/2018 – Permit amended to update product name and add additional formulation. Permit issued as version 3. 01/05/2018 – Permit amended to update holder details. Permit issued as version 2.