



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF SELECTED WEEDS IN SILVERBEET AND
SPINACH**

PERMIT NUMBER – PER14703

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 AUGUST 2014 TO 31 MAY 2029

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LIMITED
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

TRAMAT 500 SC SELECTIVE HERBICIDE (APVMA No. 39508)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L ETHOFUMESATE as the only active constituent.

Restrictions:

DO NOT apply if rain is imminent or falling.

DO NOT rotate with crops other than beet crops for 6 months after application.

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section can be found at apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Directions for Use:

Crop	Purpose	Rate
SILVERBEET Pre-emergence Use ONLY	Weeds as listed on the product label	4 or 6 L product/ha
SPINACH (<i>Spinacia oleracea</i> ONLY) Pre-emergence Use ONLY		2 or 3 L product/ha

Critical Use Comments:

Silverbeet:

- Pre-emergence: apply before weed or crop emerges.
- Apply only ONE application per crop – immediately before or immediately after sowing.
- Apply in accordance with *Directions of Use* as stated in the product label for pre-emergence

Spinach:

- Pre-emergence: apply before weed or crop emerges.
- Apply only ONE application per crop – immediately before or immediately after sowing.
- DO NOT mechanically incorporate product.
- Apply with boom spray in a minimum of 100 L water per hectare.
- Use lower application rates in lighter, sandier and/or low organic matter soils. On these

soils, irrigation after application should be limited to no more than 25 mm.

- Apply in accordance with *Directions of Use* as stated in the product label for pre-emergence use in beet crops.

Withholding Period:

Not required when used as directed.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

To Avoid Crop Damage

The sensitivity of the crops to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Export of treated produce

Maximum Residue Limits (MRLs) and Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. An MRL has been established for ETHOFUMESATE in CHARD [silver beet]. A TMRL has been established for ETHOFUMESATE in SPINACH. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 09/05/2024 – Expiry date extended to 31/05/2029. Critical use comments, restraints and additional conditions updated. Issued as version 4.

17/05/2019 – Expiry date extended to 31/07/2024. No other changes made. Retained as version 3.

09/05/2019 – Expiry date extended to 31/07/2022. Issued as version 3.

02/05/2018 – Permit mended to update holder details. Issued as version 2.