



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR CONTROL OF HELIOTHIS (*Helicoverpa* spp) IN SUNFLOWERS

PERMIT NUMBER – PER81023

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 11 OCTOBER 2015 to 31 OCTOBER 2018

Permit Holder:

AUSTRALIAN OILSEEDS FEDERATION INC.
30 Coronga Crescent
KILLARA NSW 2071

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

DUPONT ALTACOR INSECTICIDE

Containing: 350 g/kg CHLORANTRANILIPROLE as their only active constituent.

Directions for Use:

Crops	Insect Pests	Rate
SUNFLOWERS	Cotton bollworm (<i>Helicoverpa armigera</i>) Native bollworm (<i>H. punctigera</i>)	70 g product / ha

Critical Use Comments:

- Close crop inspection is fundamental to successful Heliiothis (*Helicoverpa* spp) control. Closely monitor Heliiothis populations [check every 3 to 5 days] and time foliar spray application to target mature (brown) eggs and newly-hatched larvae and when crop is highly susceptible to pest damage. The effectiveness of treatment is substantially reduced when larvae become entrenched within protected feeding sites.
- Apply by foliar application with a ground rig or aircraft. Apply in a minimum volume of 100 L/ha for ground application and 30 L/ha for aerial application.
- Add a non-ionic surfactant at 125 g a.i./100 L.
- DO NOT apply more than two (2) foliar applications per season, with a minimum retreatment interval of 7 days between consecutive applications. Further treatment should be made with alternative mode of action insecticide.
- Use in accordance with *CropLife Insecticide Resistance Management Strategy* guidelines.

Withholding Period:

Harvest: DO NOT harvest for 14 DAYS after application.

Grazing: DO NOT graze or cut for stock food.

Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

To avoid crop damage:

The sensitivity of some varieties of sunflower crops to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Export of produce:

To allow treated produce to be supplied or otherwise made available for human consumption, a Temporary Maximum Residue Limit (TMRL) has been established for chlorantraniliprole on Sunflower seed at T2 mg/kg. This TMRL only applies to produce marketed and consumed in Australia. If treated produce is to be exported, due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority