



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR CONTROL OF SCLEROTINIA ROT IN ADZUKI BEANS

PERMIT NUMBER - PER82124

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 19 FEBRUARY 2016 to 31 MARCH 2022

Permit Holder:

PULSE AUSTRALIA LIMITED
PO Box 151
HIGHFIELDS NSW 4352

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

FILAN FUNGICIDE [APVMA No. 56362]

Plus other REGISTERED PRODUCTS

Containing: 500 g/kg BOSCALID as their only active constituent.

Directions for Use:

Crop Type	Target Disease	Application Rate
ADZUKI BEANS	Sclerotinia Rot (<i>Sclerotinia sclerotiorum</i>)	0.775 – 1.0 kg product / ha

Critical Use Comments:

- Apply at 20-50% flowering to control white mould. Apply a second application 7-14 days later if disease persists, or weather conditions are favourable for disease development.
- Apply a maximum of two (2) applications per season with a minimum 7 day re-treatment interval.
- Apply in a minimum spray volume of 100 L/ha for ground application or 40 L/ha for aerial application.
- DO NOT apply more than two (2) applications per season.

Withholding Period:

Harvest: DO NOT harvest for 21 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 21 DAYS after application.

LIVESTOCK DESTINED FOR EXPORT MARKETS

The grazing withholding period only applies to stock slaughtered for the domestic market.

Some export markets apply different standards. To meet these standards, ensure that, **in addition** to complying with the grazing withholding period, the Export Slaughter Interval is observed before stock are sold or slaughtered.

EXPORT SLAUGHTER INTERVAL (ESI) – 14 DAYS

LIVESTOCK THAT HAVE BEEN GRAZED ON, OR FED TREATED FORAGE, FODDER OR STUBBLE SHOULD BE PLACED ON CLEAN FEED FOR 14 DAYS PRIOR TO EXPORT SLAUGHTER.

Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit as their *Control-of-Use* legislation means that an APVMA permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Export of treated produce

Use of boscalid may result in detectable residues in adzuki beans and not all countries have established tolerances for boscalid in adzuki beans. If treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries. Any residues must not exceed those requirements.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 14/08/2018. Expiry date extended to 31/03/2022. Issued as version 2.