



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
FOR THE CONTROL OF ANTHRACNOSE IN ALBUS LUPINS**

PERMIT NUMBER – PER82209

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 NOVEMBER 2016 TO 30 NOVEMBER 2021.

Permit Holder:

PULSE AUSTRALIA LIMITED
LEVEL 10 FARRER HOUSE 24-28 COLLINS ST
MELBOURNE VIC 3000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

AGCHEM BRAVO 500 FUNGICIDE
PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L CHLOROTHALONIL as their only active constituent.

AGCHEM BRAVO 720 FUNGICIDE
PLUS OTHER REGISTERED PRODUCTS

Containing: 720 g/L CHLOROTHALONIL as their only active constituent.

IMTRADE WHACK 900 WG FUNGICIDE
PLUS OTHER REGISTERED PRODUCTS

Containing: 900 g/kg CHLOROTHALONIL as their only active constituent.

Directions for Use:

Crop	Disease	Product & Rate
Albus lupins	Anthracnose (<i>Colletotrichum lupini</i>)	<u>500g/L products:</u> 2 L/ha <u>720g/L products:</u> 1.5 L/ha <u>900g/kg products:</u> 1.1 kg/ha

Critical Use Comments:

- DO NOT apply more than 2 foliar applications per season with a re-treatment interval of 14 days.
- Use Agral at 20 mL/100L water.
- Spray when stems, flowers or pods show first signs of infection and weather conditions are likely to remain humid or wet and favour disease development.

Spray volume:

- Ground application: in 100 L/ha
- Aerial application in minimum 30L/ha

Withholding Periods:

Harvest: DO NOT HARVEST FOR 14 DAYS AFTER APPLICATION.

Grazing: DO NOT GRAZE OR CUT FOR STOCKFEED FOR 14 DAYS AFTER APPLICATION.

DO NOT GRAZE OR FEED TREATED FORAGE OR FODDER TO LIVESTOCK WHICH MAYBE USED TO PRODUCE MILK FOR HUMAN CONSUMPTION.

LIVESTOCK DESTINED FOR EXPORT MARKETS

The grazing withholding period only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that **in addition** to complying with the grazing withholding period, the Export Slaughter Interval is observed before stock are sold or slaughtered.

EXPORT SLAUGHTER INTERVAL (ESI) – 63 DAYS

LIVESTOCK THAT HAVE BEEN GRAZED ON, OR FED TREATED FORAGE, FODDER OR STUBBLE SHOULD BE PLACED ON CLEAN FEED FOR 63 DAYS (9 WEEKS) PRIOR TO EXPORT SLAUGHTER.

Jurisdiction:

WA and NSW only.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in details of permit and conditions of permit.

Issued by Australian Pesticides and Veterinary Medicines Authority

Version 2 Issued 2/3/17 to extend permit jurisdiction into New South Wales.