

# PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT FOR CONTROL OF GREENHOUSE WHITEFLY, SILVERLEAF WHITEFLY AND LEAFHOPPERS IN CUCURBITS, EGGPLANT, PEPPERS, CAPSICUM, LEAFY LETTUCE AND CELERY

### PERMIT NUMBER – PER82467

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

### THIS PERMIT IS IN FORCE FROM 7 JULY 2017 TO 30 JUNE 2025

**Permit Holder:** 

HORTICULTURE INNOVATION AUSTRALIA LTD Level 7, 141 Walker Street NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

PER82467 Version 3 Page 1 of 3

### **CONDITIONS OF USE**

### **Products to be used:**

APPLAUD INSECTICIDE (APVMA No. 51547) PLUS OTHER REGISTERED PRODUCTS

Containing: 440 g/L BUPROFEZIN as the only active constituent.

### **Directions for Use:**

Crop	Pest	Rate
Field & Protected Cropping	Greenhouse whitefly	
	(Trialeurodes vaporariorum),	
Cucurbits;		30 - 60 mL/100L
Cucumber		(Maximum of 600mL
Zucchini	Bemisia sp.	product/ha)
Squash/Marrow	Sweet potato whitefly,	
Choko	Silverleaf whitefly (SLW),	
	Whitefly.	
Eggplant		
Peppers		
Capsicum		
Field & Protected Cropping	Jassids, leafhoppers,	
	(Austroasca viridigrisea)	
Lettuce – leafy varieties		
	Greenhouse whitefly	
	(Trialeurodes vaporariorum)	
Field & Protected Cropping	Greenhouse whitefly	
	(Trialeurodes vaporariorum)	
Celery		

### **Critical Use Comments:**

- Use higher rate when pest pressure is high.
- Apply as a foliar application as soon as the pest appears using boom sprayers, hand wands, side mounted booms or equivalent.
- Application of Buprofezin should be aimed at the early nymph stages of whitefly.
- DO NOT apply more than two spray applications per crop with a minimum retreatment interval of 14 days between applications.
- Ensure good coverage, especially to the underside of leaves.
- To avoid resistance build-up, the product must be rotated with other approved products from another chemical group (non group 16).
- Users must apply in accordance with SLW Resistance Management Strategy. Contact Qld DAFF for details.

# FOR GROUND RIG APPLICATION ONLY.

- Do not apply under meteorological conditions or from spray equipment which could be expected to cause spray drift onto adjacent areas, particularly wetlands, water bodies or watercourses.
- Do not spray across open water bodies. A spray drift minimisation strategy must be employed at all times when applying sprays.
- Apply in a spray volume sufficient to ensure good coverage.
- Apply with a sprayer suitable to spray near to but below the point of run-off (boom spray, hand wand, side mounted boom or equivalent) and to achieve even and thorough crop coverage.

# Withholding Period:

Harvest: Do not harvest for 3 days after application.

### **Jurisdiction:**

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

## **Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Issued by the Australian Pesticides and Veterinary Medicines Authority.

Note: Version 2 Amendment to permit start (July 7, 2017) and end (August 31, 2020) dates.

11/06/2020 – Permit expiry extended to 30/06/2025. Permit issued as Version 3.

PER82467 Version 3 Page 3 of 3