



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR CONTROL OF SELECTED DISEASES IN LENTILS

PERMIT NUMBER – PER82476

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 SEPTEMBER 2017 to 30 SEPTEMBER 2022

Permit Holder:

PULSE AUSTRALIA LIMITED
Level 10, Farrer House
24-28 Collins Street
MELBOURNE VIC 3000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

FILAN FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/kg BOSCALID as their only active constituent.

Directions for Use:

Crop Type	Plant Disease	Application Rate
LENTILS	Sclerotinia stem rot (<i>Sclerotinia sclerotiorum</i>) Botrytis (<i>Botrytis cinerea</i>) Ascochyta blight (<i>Ascochyta</i> spp.)	600 g product / ha

Critical Use Comments:

- Apply initial foliar spray at beginning of flowering.
- Apply a second application 7-14 days later if disease persists, or weather conditions are favourable for disease development.
- DO NOT apply more than two (2) foliar applications per crop.
- Apply using fixed-wing aircraft or using ground boom spray or similar equipment.
- Use medium spray quality or larger according to the ASAE S572 definition of nozzles.
 - Ground application - apply in at least 100 L/ha.
 - Aerial application - apply in at least 30 L/ha.

Withholding Periods:

Harvest: DO NOT harvest for 21 DAYS after application.

Grazing: DO NOT graze or cut for stock food for 21 DAYS after application.

Livestock Destined for Export Markets

The grazing withholding period only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding period, the export slaughter interval is observed before stock are sold or slaughtered.

Export Slaughter Interval (ESI)

Livestock that have been grazed on, or fed treated forage, fodder or stubble should be placed on clean feed for 14 DAYS prior to export slaughter.

Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Residues & Export of Produce

To allow produce from treated plants to be supplied or otherwise made available for consumption, the APVMA has established a temporary Maximum Residue Limit (TMRL) for Boscalid on Lentil (dry) of T3 mg/kg. This limit only applies to produce marketed and consumed within Australia. If boscalid treated produce is to be exported, due account should be taken into tolerance limits of importing countries and any residues must not exceed those tolerance limits.

Issued by the Australian Pesticides and Veterinary Medicines Authority