



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
**TO MANAGE SEASONAL VEGETATIVE FLUSHES IN MANGO TREES TO
BETTER SYNCHRONISE FLOWERING AND FRUIT SET**

PERMIT NUMBER – PER84963

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 8 FEBRUARY 2018 TO 28 FEBRUARY 2022.

Permit Holder:

AUSTRALIAN MANGO INDUSTRY ASSOCIATION
C/O HORTICULTURE INNOVATION AUST LTD
LEVEL 8, 1, CHIFLEY SQUARE
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

ACCENSI ETHEPHON 480 GROWTH REGULATOR (APVMA Approval No. 49985).
PLUS OTHER REGISTERED PRODUCTS
Containing: 480g/L ETHEPHON as the only active constituent.

PROMOTE 720 GROWTH REGULATOR (APVMA Approval No. 58827)
PLUS OTHER REGISTERED PRODUCTS
Containing: 720g/L ETHEPHON as the only active constituent.

TITAN ETHEPHON 900 SL GROWTH REGULATOR (APVMA Approval No. 84704).
PLUS OTHER REGISTERED PRODUCTS
Containing: 900g/L ETHEPHON as the only active constituent.

Directions for Use:

Crop	Situation	Application Rate
MANGOES	To manage seasonal vegetative flushes to better synchronise flowering and fruit set (when conditions require such management)	<p><u>480g/L Products</u> 202 mL product / 100L</p> <p><u>720g/L Products</u> 135 mL product / 100 L</p> <p><u>900g/L Products</u> 108 mL product / 100L</p> <p>Apply in spray volume of 1,000 to 2,000 L water per hectare</p>

Critical Use Comments:

- Apply initial foliar spray at early vegetative to first floral bud development. Apply the second application approximately 28 days later.
- Apply no more than two (2) spray applications per season.
- DO NOT apply after full flowering (BBCH 65).
- Apply as a foliar spray using calibrated air-blast spray or similar equipment.
- Follow label recommendations for spraying and washing of equipment.
- DO NOT spray trees if they appear stressed or following prolonged period of hot dry weather.
- Thorough spray coverage of all foliage is essential to obtain the full benefit of the ethephon treatment. Apply spray to the point of run-off. A spray volume of 1,000 to 2,000 L per hectare is recommended, depending on planting density and tree maturity.

Withholding Period:

Harvest: Not required when used as directed

Jurisdiction:

NT, QLD and WA only.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

To Avoid Crop Damage:

The sensitivity of some varieties of mango trees to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable to only apply the ethephon treatment to a small number of trees in the first instance and closely monitor tree health over the following weeks. Discontinue applications when any adverse symptoms post-treatment are observed.

Issued by Australian Pesticides and Veterinary Medicines Authority.

Note: 07 April 2018; 480g/L and 900g/L products included on permit. Permit Issued as Version 2.