



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF RUBBER VINE IN VARIOUS SITUATIONS**

**PERMIT NUMBER – PER90342**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 17 NOVEMBER 2020 TO 31 JANUARY 2031**

**Permit Holder:**

NSW DEPARTMENT OF PRIMARY INDUSTRIES  
105 Prince Street  
ORANGE NSW 2800

**Persons who can use the product under this permit:**

NSW DPI staff, Local Lands Services (LLS) staff, Local Control Authorities staff and/or their contractors who are fully trained and authorised in the use, storage and handling of agricultural chemicals and operating under the direction of NSW DPI and/or LLS.

## CONDITIONS OF USE

### Products to be used:

GRAZON EXTRA HERBICIDE (APVMA No. 60830)

PLUS OTHER REGISTERED PRODUCTS

Containing: 300 g/L TRICLOPYR present as BUTOXYPHENYL ESTER, 100 g/L PICLORAM present as HEXYLOXYPROPYLAMINE SALT and 8 g/L AMINOPYRALID present as HEXYLOXYPROPYLAMINE SALT as the only active constituents.

### RESTRAINT:

DO NOT apply to weeds which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected), poor nutrition, presence of disease, or previous herbicide treatment as reduced levels of control may result.

DO NOT spray if rain is likely within 1 hour or if foliage is wet from rain or dew.

In areas prone to flooding treatment should commence after annual flooding, as such areas flooded within 9 months following application may have reduced results.

### Directions for Use:

Situation	Pest	Rate
Domestic residences, homesteads, gardens, sheds, and agricultural buildings	Rubber Vine ( <i>Cryptostegia grandiflora</i> and <i>Cryptostegia madagascarensis</i> )	350 – 500 mL/100 L water

### Critical Use Comments:

- Apply when detected as part of an eradication program.
- Apply as a spot spray using hand-held equipment.
- Apply the lower rate for weeds up to 1.5 m tall at flowering and apply the higher rate for dense stands greater than 1.5 m tall at flowering.
- Spray all leaves and stems just to the point of runoff and thoroughly spray the base of the plant. With larger, more dense stands, regrowth may occur. Subsequent control of any regrowth should be done by basal bark spraying.
- DO NOT apply more than 3 applications per year.
- DO NOT touch treated foliage until the spray is dried. The wet spray may irritate the skin and eyes.
- Entry into treated areas is allowed once spray is dried. Treated foliage should not be handled for at least 3 days after treatment.
- Comply with the label 'protections' statements.

**Products to be used:**

ACCESS HERBICIDE (APVMA No. 46640)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240 g/L TRICLOPYR present as BUTOXYETHYL ESTER and 120 g/L

PICLORAM present as the ISOOCTYL ESTER as the only active constituents.

**RESTRAINT:**

DO NOT add water to herbicide.

DO NOT apply to weeds which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected), poor nutrition, presence of disease, or previous herbicide treatment as reduced levels of control may result. DO NOT apply to charcoal coated or wet stems as this can repel the diesel mixture.

**Directions for Use:**

Situation	Pest	Rate
Domestics residences, homesteads gardens, sheds, and agricultural buildings	Rubber Vine ( <i>Cryptostegia grandiflora</i> and <i>Cryptostegia madagascarensis</i> )	1 L/60 L diesel

**Critical Use Comments:**

- Apply when detected as part of an eradication program.
- Apply using either the basal bark method or cut stump method, depending on weed growth stage. Use the basal bark method for weeds with stems up to 5 cm basal diameter. Use the cut stump method for weeds up to and in excess of basal bark size, applying immediately after cut is made.
- DO NOT apply more than 3 applications per year.
- DO NOT touch treated foliage until the spray is dried. The wet spray may irritate the skin and eyes.
- Entry into treated areas is allowed once spray is dried. Treated foliage should not be handled for at least 3 days after treatment.

**Products to be used:**

GARLON 600 HERBICIDE (APVMA No. 31898)

PLUS OTHER REGISTERED PRODUCTS

Containing: 600 g/L TRICLOPYR present as BUTOXYPHENYL ESTER as the only active constituent.

**RESTRAINT:**

DO NOT apply to weeds which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected), poor nutrition, presence of disease, or previous herbicide treatment as reduced levels of control may result. DO NOT spray if rain is likely within 1 hour or if foliage is wet from rain or dew.

**Directions for Use:**

Situation	Pest	Rate
Domestic residences, homesteads, gardens, sheds, and agricultural buildings	Rubber Vine ( <i>Cryptostegia grandiflora</i> and <i>Cryptostegia madagascarensis</i> )	1 L/60 L diesel

**Critical Use Comments:**

- Apply when detected as part of an eradication program.
- Apply using either the basal bark method or cut stump method, depending on weed growth stage. Use the basal bark method for weeds with stems up to 5 cm basal diameter. Use the cut stump method for weeds up to and in excess of basal bark size, applying immediately after cut is made.
- DO NOT apply more than 3 applications per year.
- DO NOT touch treated foliage until the spray is dried. The wet spray may irritate the skin and eyes.
- Entry into treated areas is allowed once spray is dried. Treated foliage should not be handled for at least 3 days after treatment.

**Jurisdiction:**

NSW only, specifically the Western Local Land Services and North West Local Land Services regions.

**Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 05/12/2022 – Permit expiry extended to 31/12/2025. Permit issued as Version 2.

Note: 08/01/2026 - Permit expiry extended to 31/01/2031. Permit issued as Version 3.