

PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL

PRODUCT FOR CONTROL OF CLUSTER CATERPILLAR (SPODOPTERA LITURA) IN PEANUTS

PERMIT NUMBER - PER90481

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 16 DECEMEMBER 2020 TO 31 AUGUST 2026

Permit Holder:

AUSTRALIAN OILSEEDS FEDERATION INC 30 Coronga Crescent KILLARA NSW 2071

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

ALTACOR INSECTICIDE (APVMA No. 61824)

PLUS OTHER REGISTERED PRODUCTS

Containing: 350 g/kg CHLORANTRANILIPROLE as the only active constituent.

VANTACOR INSECTICIDE (APVMA No. 89966)

PLUS OTHER REGISTERED PRODUCTS

Containing: 600 g/L CHLORANTRANILIPROLE as the only active constituent.

RESTRAINT:

DO NOT apply if heavy dew is present on crops, or if rainfall is expected within 2 hours of application.

Comply with label spray drift restraints and mandatory no-spray zones.

Directions for Use:

Crop	Pest	Rate
Peanuts	Cluster caterpillar	350 g/kg product:
	(Spodoptera litura)	70 g/ha
		600 g/L product:
		40 mL/ha

Critical Use Comments:

- Apply at or just prior to the anticipated time of egg hatch.
- Application of chlorantraniliprole should be after careful field monitoring of pest populations of eggs and larvae to determine the need for application, the correct timing of the initial application and of any subsequent applications. Subsequent applications are dependent on economic thresholds, as well as the growth rate of new unprotected plant material.
- DO NOT target larvae larger than 5 mm.
- Apply using calibrated ground boom sprayers or by aerial application methods.
- Use a spray minimum volume of 100 L/ha for ground applications and 30-50 L/ha for aerial applications.
- Thorough, even coverage of the infested crop area is essential.
- DO NOT apply with spray droplets smaller than a MEDIUM spray droplet size category.
- DO NOT apply more than two (2) applications per crop, with a minimum re-treatment interval of 7 days between sprays.
- Add a non-ionic wetting agent at recommended label rate.
- When further insecticide applications are necessary, rotate to an approved product from a different Mode of Action (MoA) group.

Withholding Period:

Harvest: Do not harvest for 14 days after application.

Grazing: Do not graze or cut for stock food for 14 days after application.

Jurisdiction:

QLD only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Export of treated produce

Maximum Residue Limits (MRLs) or Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for CHLORANTRANILIPROLE in PEANUTS. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority 26/08/2021 – Permit updated to add 600 g/L chlorantraniliprole products. Permit expiry extended to 31/8/2026. Permit issued as version 2.