



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF POWDERY MILDEW IN WHEAT**

**PERMIT NUMBER – PER93197**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 23 JANUARY 2023 TO 30 JUNE 2027**

**Permit Holder:**

GRAIN PRODUCERS AUSTRALIA LIMITED  
12 Cooma Road  
BRAIDWOOD NSW 2622

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

LEGEND FUNGICIDE (APVMA No. 53607)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L QUINOXYFEN as the only active constituent.

### RESTRAINT:

DO NOT spray if rain is likely within 1 hour.

DO NOT apply with aircraft.

### SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section can be found at [apvma.gov.au/spraydrift](http://apvma.gov.au/spraydrift).

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

### Directions for Use:

Crop	Disease	Rate
Wheat	Powdery mildew ( <i>Blumeria graminis</i> f. sp. <i>tritici</i> )	200 – 300 mL / ha

### Critical Use Comments:

- Apply at the first signs of infection as a protectant treatment only.
- Monitor crops regularly from early tillering and apply at or before BBCH31.
- Monitor if conditions favour disease development and reapply from 21 to 28 days after the first application and no later than BBCH39.
- Apply foliar application by ground boom.
- Use higher rates where conditions favour disease development.
- Use a spray volume of 50-100 L/ha.
- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 21 days after the initial treatment.
- DO NOT apply after the growth stage BBCH39.
- Apply quinoxifen in accordance with the current CropLife Fungicide Resistance Management Strategy.

### Withholding Period:

Harvest: Not required when used as directed.

Grazing: Do not graze or cut for stock food for 4 weeks after application.

### LIVESTOCK DESTINED FOR EXPORT MARKETS

The grazing withholding period only applies to stock slaughtered for the domestic market. Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding period the Export Slaughter Interval is observed before stock are sold or slaughtered.

## EXPORT SLAUGHTER INTERVAL (ESI) — 14 days

After observing the withholding period for grazing or cutting for stock food, livestock that have been grazed on or fed treated crops should be placed on clean feed for 14 days prior to slaughter.

### **Jurisdiction:**

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

### **Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

### *To Avoid Crop Damage*

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 12/06/2024 – Permit expiry extended to 30/06/2027. Permit issued as Version 2.