



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW SUPPLY AND EMERGENCY USE OF AN UNREGISTERED AGVET
CHEMICAL PRODUCT FOR CONTROL OF HAWKWEED IN ENVIRONMENTAL AND
NON-AGRICULTURAL AREAS**

PERMIT NUMBER – PER95047

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 12 JULY 2024 TO 31 JULY 2026

Permit Holder and Supplier:

NSW DEPARTMENT OF PRIMARY INDUSTRIES AND REGIONAL DEVELOPMENT
105 Prince St
ORANGE NSW 2800

Additional Suppliers:

NSW NATIONAL PARKS AND WILDLIFE SERVICE
Locked Bag 5022
PARRAMATTA NSW 2124

DEPARTMENT OF NATURAL RESOURCES AND ENVIRONMENT TASMANIA
13 St John's Avenue
NEW TOWN TAS 7008

SNOWY VALLEY COUNCIL
76 Capper St
TUMUT NSW 2720



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

SNOWY MONARO REGIONAL COUNCIL
81 Commissioner St
COOMA NSW 2630

PARKS VICTORIA
609 Burwood Highway
KNOXFIELD VIC 3180

Persons who can use the product under this permit:

Government officers, or suitably trained and qualified contractors either employed or contracted or working under the direction of State or local government agencies.

CONDITIONS OF USE

Products to be used:

TORDON 2G GOLD GRANULAR HERBICIDE

AN UNREGISTERED PRODUCT

Containing: 20 g/kg PICLORAM and 0.25 g/kg AMINOPYRALID present as the potassium salts as the only active constituents.

RESTRAINT:

DO NOT apply to weeds which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected) or previous herbicide treatment, as reduced levels of control may result.

DO NOT apply during high winds.

DO NOT use treated commodities for human consumption or stock food.

DO NOT allow livestock to graze treated areas.

Directions for Use:

Situation	Pest	Rate
Environmental and non-agricultural areas	Hawkweed (<i>Hieracium</i> spp.)	45 g/m ²

Critical Use Comments:

- Apply as a spot application by hand or hand spreader.
- DO NOT apply more than 1 application per year.
- Refer to label directions at **Attachment 1**. If label directions contradict the permit, the permit must be followed.

Withholding Period:

Grazing: Not required when used as directed.

Jurisdiction:

NSW, Tas and Vic only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label at **Attachment 1**.

Supply

The supplier must supply the product in a container that complies with the requirements of section 18 of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is identical in content and format to the label at **Attachment 1**.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Record keeping

Maintain records of all treatments performed under this permit. Details must include the date and locations where treatments occurred, the total amount of product used, and the names and addresses of the persons undertaking the use. These details must be maintained for a minimum

period of two years from the date of expiry of this permit, and must be made available to the APVMA upon request.

Issued by the Australian Pesticides and Veterinary Medicines Authority

CAUTION
KEEP OUT OF REACH OF CHILDREN



Tordon™

2G Gold

GRANULAR HERBICIDE

ACTIVE INGREDIENTS:

Contains 20 g/kg picloram and 0.25 g/kg aminopyralid as potassium salts in the form of a pellet.

GROUP 4 HERBICIDE

UNREGISTERED PRODUCT
for the control of Hawkweeds in conjunction with APVMA PER95047 only

READ THE LABEL AND PERMIT BEFORE USE

NET CONTENTS: 5kg, 20kg

SAFETY DIRECTIONS

- May irritate the eyes. Avoid contact with the eyes and skin.
- Do not inhale dust.
- After use and before eating, drinking and smoking wash hands, arms and face thoroughly with soap and water.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre.
Phone: Australia 13 11 26. New Zealand 0800 764 766.
If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

SAFETY DATA SHEET

A Safety Data Sheet for Tordon™ 2G Gold is available from Corteva Agriscience (NZ), www.corteva.co.nz

Supplied by:

Australian Supplier Name and Address

Ph: Email:

IN A TRANSPORT
EMERGENCY ONLY
DIAL 000
FOR POLICE OR FIRE
BRIGADE

EMERGENCY RESPONSE
(ALL HOURS)
RING FROM ANYWHERE IN
AUSTRALIA
1800370754
(LOCAL CALL FEE ONLY)

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT use prior to a Conservation Risk Assessment (CRA) being conducted at all treatment locations.

DO NOT apply more than one application per year.

DO NOT apply within 10m of a waterway.

DO NOT treat sphagnum bogs or apply within 5 m from sphagnum communities.

DO NOT apply to weeds which may be stressed (not actively growing) due to prolonged periods of extreme cold, moisture stress (water-logged or drought affected) or previous herbicide treatment, as reduced levels of control may result.

DO NOT apply during high winds.

Situation	Weed	Rate
Non-agricultural and environmental areas	Hawkweed <i>Hieracium spp.</i>	45 g/m ²

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO APVMA PERMIT PER95047 UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD:

NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Sprinkle granules evenly in a 2 m x 2 m plot, with the above-ground plant parts (e.g. rosettes) located in the centre of the plot. (This is to treat the below-ground stolons which can be >1 m long).

Tordon™ 2G Granules are recommended as a spot application for treatment of scattered target plants, particularly in areas where access for spray equipment is difficult or water supplies are limited. Treat before growth begins or during vigorous growth when good rainfall can be expected. Rain after application is required to move the herbicide into the root zone and the effect on treated plants will not be observed until then.

Picloram, the active constituent in this product remains active in the soil for extended periods, depending on rate of application, soil type, rainfall, temperature, humidity, soil moisture and soil organic matter.

RESISTANT WEEDS WARNING

GROUP	4	HERBICIDE
--------------	----------	------------------

Tordon™ 2G Granules is a member of the pyridines group of herbicides. The product has the disrupters of plant cell growth mode of action. For weed resistance management the product is a Group I herbicide. Some naturally occurring weed biotypes resistant to the product and other Group I herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by this product or other Group I herbicides. Since the occurrence of resistant weeds is difficult to detect prior to use, Corteva Agriscience Australia Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant weeds. Strategies to minimise the risk of herbicide resistance are available. Contact your farm chemical supplier, consultant, local Department of Agriculture or local Corteva Agriscience representative.

PROTECTION OF CROPS, NATIVES AND OTHER NON-TARGET PLANTS

After use wash hands thoroughly before handling susceptible crops.

SELECTIVE HERBICIDE - VERY TOXIC TO SOME PLANT SPECIES. Certain plants may be damaged or killed by contact with this product.

DO NOT allow movement outside the target area to occur.

DO NOT allow the dust of this product to drift onto susceptible crops, such as but not limited to peas, lupins, lucerne, navy beans, soybeans, and other legumes, cotton, fruit trees, hops, ornamentals, shade trees and Pinus spp., flowers, potatoes, safflowers, sugar beet, sunflowers, tobacco, tomatoes, vegetables and vines.

DO NOT use under meteorological conditions likely to produce physical drift onto waterways, native vegetation and susceptible crops.

DO NOT apply close to or on areas containing roots of desirable vegetation, where treated soil may be washed onto areas growing, or areas to be planted with desirable plants.

DO NOT apply on sites where surface water from heavy rain can be expected to runoff to areas containing, or to be planted with susceptible crops or plants.

DO NOT move soil which may have been treated to areas where desirable plants are to be grown.

DO NOT use on land to be cultivated for growing susceptible crops. Legumes, vines, vegetables, cotton, tomatoes, ornamentals and many other plants are highly susceptible to this product during growing and dormant periods. Grasses are normally unaffected and establish quickly after treatment.

MANAGEMENT OF RESIDUES IN COMPOST, MULCHES AND ANIMAL WASTE

Aminopyralid residues from treated plants may pass into animal manure, composts, mushroom substrates, mulches and cause injury to sensitive broadleaf plants. Do not spread manure from animals that have grazed or consumed forage or hay from treated areas on land used for growing susceptible broadleaf crops.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.

PROTECTION OF LIVESTOCK

Poisonous plants may become more palatable after spraying and stock should be kept away from these plants until they have died down.

STORAGE AND DISPOSAL

Keep out of reach of children.

DO NOT store container near food, feedstuffs, fertilizers, seed, insecticides, fungicides or other pesticides. Store in closed, original containers, in a secure cool, well-ventilated area.

DO NOT store for prolonged periods in direct sunlight. Shake empty pail into granule applicator.

DO NOT dispose of granules on site. If recycling, replace the lid and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SMALL SPILL MANAGEMENT

DO NOT touch or walk through spilled material. Wear the protective equipment recommended above. Stop further spill occurring and prevent entry into waterways and drains.

In case of spill on floor or paved surfaces sweep up and place in drums for disposal at a licensed local authority landfill. Spill residues may be cleaned up using water and detergent. Contain and absorb wash water. Absorb and collect washings and place in the same sealable

container for disposal.

Seek advice from the SDS, product label and dispose of the contaminated material in accordance with STATE and/or LOCAL regulations.

APVMA Approval No. : Unregistered product to be used in accordance with PER95047 only

Manufactured by:

Corteva Agriscience New Zealand Limited

Private Bag 2017

New Plymouth 4342

™ ® Trademarks of Corteva Agriscience and its affiliated companies.