



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF CITRUS RED MITES IN CITRUS TREES  
(BARE-ROOTED AND POTTED NURSERY PLANTS ONLY)**

**PERMIT NUMBER – PER13059**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 1 OCTOBER 2011 TO 30 SEPTEMBER 2025**

**Permit Holder:**

NSW DEPARTMENT OF PRIMARY INDUSTRIES  
161 Kite Street  
ORANGE NSW 2800

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

VERTIMEC MITICIDE/INSECTICIDE (APVMA No. 50772)

PLUS OTHER REGISTERED PRODUCTS

Containing: 18 g/L ABAMECTIN as the only active constituent.

APOLLO MITICIDE (APVMA No. 59818)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L CLOFENTEZINE as the only active constituent.

OVASYN OPTIONS INSECTICIDE (APVMA No. 53262)

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L AMITRAZ as the only active constituent.

### Directions for Use:

Crop	Pest	Rate
Citrus Trees (bare-rooted and potted nursery plants only)	Citrus Red Mites ( <i>Panonychus citri</i> )	25 mL abamectin product / 100 L plus either: 30 mL clofentezine product / 100 L or 5 mL amitraz product / 100 L

### Critical Use Comments:

- Apply as a 2 minute drip for budwood and thoroughly treat with a drenching spray or dip to all the above ground parts of the bare-rooted or potted plants.
- Apply treatments as required.

### Withholding Period:

Not required when used as directed.

### Jurisdiction:

NSW only.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

#### *Disposal of waste dipping solution*

Dispose of spent treatment solutions in a waste pit at least 50 metres away from streams, drains, ponds, channels, wells, boreholes or watercourses. Ensure it is disposed of at least two metres above any groundwater, in a location that is not affected by erosion or flooding. For light soil areas it is recommended to add compost, sawdust or peat to the disposed liquid.

#### *Safety Directions*

The following safety directions and personal protection equipment (PPE) are recommended for workers preparing and using the prepared spray/dip solution:

Poisonous if absorbed by skin contact or swallowed. Will damage eyes. Will irritate the skin. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the containers,

preparing dip/spray and using prepared dip/spray, wear cotton overalls buttoned to the neck and wrist, washable hat, elbow-length PVC gloves, goggles and impervious footwear. If preparing or using the product in enclosed areas, users must wear a half-face respirator with organic vapour canister. If products or prepared solution in eyes wash it out immediately with water.

After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, contaminated clothing and respirator (if rubber, wash with detergent and warm water).

#### *Re-entry*

Glasshouses and other confined areas: DO NOT re-enter until spray deposits have dried and area has been thoroughly ventilated.

Other (open space) areas: DO NOT allow entry into treated areas until the spray deposits have dried. When prior entry is necessary, wear protective clothing as described above for workers using and preparing spray.

#### *To Avoid Crop Damage*

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority.

Note: 27/07/2015 – Permit expiry extended to 30/09/2020. Permit issued as Version 2.

02/06/2020 – Permit amended to update safety directions and permit expiry extended to 30/09/2025. Permit issued as Version 3.