



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR CONTROL OF LIGHT BROWN APPLE MOTH AND ELEPHANT WEEVIL
BORER IN BLUEBERRIES AND RUBUS SPECIES**

PERMIT NUMBER – PER13289

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 31 OCTOBER 2012 to 31 AUGUST 2023

Permit Holder:

RASPBERRIES & BLACKBERRIES AUSTRALIA INC.
c/o Horticulture Innovation Australia Ltd
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

AVATAR INSECTICIDE [APVMA No. 52546]

PLUS OTHER REGISTERED PRODUCTS

Containing: 300 g/kg INDOXACARB as their only active constituent.

Directions for Use:

Situation	Target pest	Rate	Critical Comments
BLUEBERIES AND RUBUS SPP. (Field and protected grown)	Light Brown Apple Moth (<i>Epiphyas postvittana</i>)	17 g/100L water	▪ Apply product as eggs and larvae reach economic thresholds and damage is observed
	Elephant Weevil Borer (<i>Orthorhinus cylindrirostris</i>)		▪ Apply 1 week after pruning or when adults have emerged and are observed on cut surfaces or foliage of pruned plants.

Critical Use Comments:

- Apply a maximum of two (2) applications per crop with a minimum re-treatment interval of seven (7) days between consecutive applications.
- Application to be made as a foliar spray in a spray volume of 1000 - 1200 L/ha using an air-blast sprayer or equivalent calibrated equipment.
- Use in accordance with an existing Integrated Pest Management Strategy and best industry practice.
- Dangerous to bees. DO NOT apply when bees are actively foraging. Avoid direct application or drift of the spray mix onto bee hive. After spray has dried, bees can safely forage flowering crops.
- Do not enter treated areas until spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or clothing equivalent) and chemical resistance gloves. Clothing must be laundered after each day's use.
- Users must ensure that prior notice of spray application is provided in accordance with state requirements.

Jurisdiction:

ALL STATES

Withholding Period:

DO NOT harvest within 3 days of last application.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Export of treated produce:

Use of indoxacarb may result in detectable residues in blueberries and *Rubus spp.* for which not all countries have established tolerances. If treated produce is to be exported due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: Permit amended to add use in protected cropping situations and extend expiry date until 31 August 2023.

Permit version 4 issued 21 August 2018.