



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF PHYTOPHTHORA IN NATIVE VEGETATION**

PERMIT NUMBER – PER13534

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 28 NOVEMBER 2012 TO 31 DECEMBER 2028

Permit Holder:

DEPARTMENT OF BIODIVERSITY, CONSERVATIONS AND ATTRACTIONS
17 Dick Perry Avenue
KENSINGTON WA 6151

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

AGRI-FOS SUPA 400 SYSTEMIC FUNGICIDE (APVMA Approval Number 46229).
PLUS OTHER REGISTERED PRODUCTS
Containing: 400g/L PHOSPHOROUS ACID as their only active constituent.

AGRI-FOS 600 SYSTEMIC FUNGICIDE (APVMA Approval Number 54430).
PLUS OTHER REGISTERED PRODUCTS
Containing: 600g/L PHOSPHOROUS ACID as their only active constituent.

SPRAYPHOS 620 SYSTEMIC FUNGICIDE (APVMA Approval Number 59052).
PLUS OTHER REGISTERED PRODUCTS
Containing: 620 g/L PHOSPHOROUS ACID as their only active constituent.

AGRI-FOS 625 SYSTEMIC FUNGICIDE (APVMA Approval Number 61691).
PLUS OTHER REGISTERED PRODUCTS
Containing: 625 g/L PHOSPHOROUS ACID as their only active constituent.

RESTRAINT:

The product is harmful to aquatic life and a potential nutrient pollutant to aquatic ecosystems. DO NOT contaminate drainage areas, streams, rivers or waterways with the chemical or used containers.

DO NOT apply if heavy rains or storms are forecast within 3 days.

DO NOT apply to plants grown for human or animal consumption.

Spray drift restraints:

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between three and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by aircraft unless the following requirements are met:

- Spray droplets are not smaller than a MEDIUM spray droplet size category.
- For maximum release height above the target canopy of 3 metres or 25 per cent of wingspan or 25 per cent of rotor diameter, whichever is the greatest, minimum distances between the application site and downwind sensitive areas are observed (see the following table titled 'Buffer zones for aircraft')

Buffer zones for aircraft

Application Rate	Type of aircraft	Mandatory downwind buffer zones Natural aquatic areas
Up to maximum permitted rate	Fixed-wing	15 metres
	Helicopter	20 metres

Directions for Use:

Crop	Disease	Rate
Native shrub, heath, woodland and heath vegetation	Phytophthora Dieback (<i>Phytophthora cinnamomi</i>)	<u>400 g/L products</u> Apply up to 30 L product / ha
		<u>600 g/L products</u> Apply up to 20 L product / ha
		<u>620 g/L products</u> Apply up to 19 L product / ha
		<u>625 g/L products</u> Apply up to 19 L product / ha

Critical Use Comments:

- Apply when conditions favour disease development.
- Apply as a foliar spray via aerial application equipment or knapsack.
- Apply a follow up application where required.
- DO NOT apply more than 2 applications per year.
- The Safety Data Sheet (SDS) for the product must be made available to workers.

Withholding period:

DO NOT graze or cut treated areas for stock food.

Safety Directions:

May irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When using the product wear cotton overalls buttoned to neck and wrist and washable hat, chemical resistant gloves, goggles and disposable mist mask. If product in eyes, wash it out immediately with water. Wash hands after use. After each day's use, wash gloves, goggles and contaminated clothing.

First Aid Instructions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone *Australia 13 11 26, New Zealand 0800 764 766*. If swallowed, do NOT induce vomiting. If skin contact occurs, remove contaminated clothing and wash skin thoroughly.

Jurisdiction:

WA only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Applications of phosphite-based products should be undertaken in accordance with (CALM, 1999) Phosphite Operations Guidelines or equivalent guidelines in force from the Department of Parks and Wildlife, Western Australia.

Any severe adverse effects of the products use under this permit must be immediately notified to the APVMA, particularly adverse effects to non-target species or surrounding vegetation.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes:

09/12/2014 Version 2: 600 g/L products added to permit to replace 400 g/L products that are becoming less available.

04/03/2015 Version 3: Permit Holder amended to WA Department of Parks and Wildlife. Phosphorous acid product updated to include 620 & 625 g/L products.

26/05/2015 Version 4: Permit area increased from 250Ha to 350 Ha

31/07/2015 Version 5: Monitoring requirements of effects on non-pathogenic and beneficial fungi and secondary effects on other organisms and area limitation removed. Permits allowed for persons generally.

3/09/2018 Version 6: Expiry date extended to 31st October 2023. Other non-technical changes made for clarity.

21/12/2023: Permit amended to include restraints and spray drift restraints. Critical use comments and rate amended to reflect actual use pattern. Safety directions and first aid instructions included. S161 statement added.

Permit expiry extended to 31/12/2028. Permit issued as version 7.