



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT
TO CONTROL ACONOPHORA COMPRESSOR IN FIDDLEWOOD TREES**

PERMIT NUMBER – PER13706

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE 31 DECEMBER 2012 TO 31 MARCH 2023.

Permit Holder:

BIOSECURITY QUEENSLAND
LEVEL 3C EAST, ECOSCIENCES PRECINCT,
41 BOGGO ROAD,
DUTTON PARK QLD 4102

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

CONFIDOR 200 SC INSECTICIDE - 50548

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L IMIDACLOPRID as their only active constituent.

Directions for Use:

Host	Pest	Rate
FIDDLEWOOD TREES (<i>Citharexylum spinosum</i>)	LANTANA STEMSUCKING TREEHOPPER (<i>Aconophora compressa</i> Walker)	Foliar Spray 5mL per 10 L of water
		Soil Injection 5 to 10 mL per cm of tree diameter at breast height

Critical Use Comments:

Foliar Spray:

Apply to shrubs and trees under 3m in height when necessary. Thoroughly wet both upper and lower foliar surfaces. Spray to the point of run-off.

Soil Injection:

Mix the required amount of product in 50 to 100L of water. Use at least 50L of mixture for trees up to 40cm diameter at breast height and 100L for larger trees.

Inject the total volume of the solution into the soil around the tree to a depth of 20-30cm, evenly distributed in a grid pattern at 50cm intervals extending to the drip line of the tree.

Ensure the root zone is adequately moist with active root growth before treatment. Keep treated area moist for 7-10 days after treatment.

DO NOT treat if soil is waterlogged.

SOIL INJECTION APPLICATION SHOULD ONLY BE CONDUCTED USING SUITABLE EQUIPMENT BY PERSONS EXPERIENCE IN THIS METHOD OF APPLICATION.

Withholding Period:

NOT REQUIRED WHEN USED AS DIRECTED

Jurisdiction:

NSW and QLD only

Additional Conditions:

This Permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

The following safety directions must be observed when preparing/applying the product by soil injection:

HARMFUL IF SWALLOWED. MAY IRRITATE THE EYES AND SKIN. AVOID CONTACT WITH EYES AND SKIN. WASH HANDS AFTER USE. WHEN PREPARING THE PRODUCT FOR USE, WEAR COTTON OVERALLS BUTTONED TO THE NECK AND WRIST AND A WASHABLE HAT, ELBOW-LENGTH PVC GLOVES AND GOGGLES. AFTER EACH DAY'S USE WASH GLOVES, GOGGLES AND CONTAMINATED CLOTHING.

TO AVOID PLANT DAMAGE:

Some ornamental plants may be sensitive to chemical sprays and this may be related to local conditions. As such it is advisable to treat a small number of trees first, in order to ascertain their reaction before treating all affected trees.

Issued by Australian Pesticides and Veterinary Medicines Authority

Version 2 issued (2/02/2018) to extend expiry date from 31 March 2018 to 31 March 2023.