



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF ACONOPHORA COMPRESSA
IN FIDDLEWOOD TREES**

PERMIT NUMBER – PER13706

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 31 DECEMBER 2012 TO 31 MARCH 2025

Permit Holder:

BIOSECURITY QUEENSLAND
Level 3C East, Ecosciences Precinct
41 Boggo Road,
DUTTON PARK QLD 4102

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

SUREFIRE SPECTRUM 200SC INSECTICIDE (APVMA No. 60124)

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L IMIDACLOPRID as the only active constituent.

RESTRAINT:

DO NOT apply to soils if waterlogged, excessively wet, or immediately after heavy rain to avoid run-off of chemical.

Dangerous to bees. DO NOT spray any plants in flower while bees are foraging.

Directions for Use:

Host	Pest	Rate
Fiddlewood trees (<i>Citharexylum spinosum</i>)	Lantana stemsucking treehopper (<i>Aconophora compressa</i>)	<u>Foliar Spray:</u> 5 mL per 10 L water <u>Soil Injection:</u> 5-10 mL per cm of tree diameter at breast height

Critical Use Comments:

- Foliar Spray
 - Apply to shrubs and trees under 3 m in height when necessary.
 - Thoroughly wet both upper and lower foliar surfaces.
 - Spray to the point of runoff.
- Soil Injection
 - Mix the required amount of product in 50-100 L of water.
 - Use at least 50 L of mixture for trees up to 40 cm in diameter at breast height and 100 L for larger trees.
 - Inject the total volume of the solution into the soil around the tree to a depth of 20-30 cm, evenly distributed in a grid pattern at 50 cm intervals extending to the drip line of the tree.
 - Ensure the root zone is adequately moist with active root growth before treatment.
 - Keep treated area moist for 7-10 days after treatment.
 - Soil injection application must only be conducted using suitable equipment by persons experienced in this method of application.
- DO NOT apply more than 3 applications per year.
- DO NOT apply less than 8 weeks after the initial treatment.

Jurisdiction:

QLD and NSW only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Other Matters

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Continued issuance of this permit is subject to the outcomes of the current APVMA review of neonicotinoids (imidacloprid). This permit may be impacted by the outcomes of this review.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 02/02/2018 – Version 2 issued (2/02/2018) to extend expiry date from 31 March 2018 to 31 March 2023.

Note: 09/03/2023 – Permit updated to replace representative product, add label restraints, add maximum treatments and minimum retreatment interval, remove WHP and safety direction statements, add chemical review statement and add s161 statement and update content to current standards. Permit expiry extended to 31/03/2025. Permit issued as Version 3.