



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR CONTROL OF VARIOUS FUNGAL DISEASES IN RUBUS CROPS

PERMIT NUMBER - PER14449

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 OCTOBER 2014 TO 31 MAY 2022

Permit Holder:

RASPBERRIES AND BLACKBERRIES AUSTRALIA INC.
58 Woodview Avenue
LISAROW NSW 2250

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

NUFARM ELECT 500 FLOWABLE FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L CHLOROTHALONIL as their only active constituent.

CROP CARE BARRACK 720 FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 720 g/L CHLOROTHALONIL as their only active constituent.

APPARENT CHLOROTHALONIL 900 WG FUNGICIDE

PLUS OTHER REGISTERED PRODUCTS

Containing: 900 g/kg CHLOROTHALONIL as their only active constituent.

Directions for Use:

Crop Type	Plant Disease	Application Rate
RUBUS Including: Raspberries Blackberries Boysenberries Loganberries Silvanberries Youngberries	Grey mould Rusts Downy mildew	<u>500 g/L product</u> 144 mL/100 L water <u>720 g/L product</u> 100 mL/100 L water <u>900 g/kg product</u> 80 mL/100 L water
	Septoria leaf spot	<u>500 g/L product</u> 2.6 L/ha <u>720 g/L product</u> 1.8 L/ha <u>900 g/kg product</u> 1.45 kg/ha

Critical Use Comments:

General

- Complete coverage of all foliage and vines/canes is essential to achieve good control.
- Refer to product label for additional *Restrictions*.

Grey mould, rust and downy mildew

- Apply when conditions favour disease, then repeat at 7 to 14 day intervals.
- DO NOT apply more than three (3) sprays per year. Use shorter intervals when disease pressure is high.
- Apply using spray volume of 300 - 2000 L/ha.
- For grey mould apply at early bloom, 2 weeks later and at veraison (onset of ripening).

Septoria leaf spot

- DO NOT apply more than four (4) sprays per year.

Withholding Period:

Harvest: DO NOT apply later than 28 DAYS before harvest.

Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation does not require a permit to legalise this off-label use in that State.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

To Avoid Crop Damage

The sensitivity of some species and varieties of Rubus crops to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Export of produce

To allow treated produce to be supplied or otherwise made available for human consumption a Temporary Maximum Residue Limit (TMRL) has been established for Chlorothalonil covering the commodity Berries and other small fruits (excluding blackcurrants and grapes) at 10 mg/kg. This MRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes:

5/05/2017. Expiry date extended to 31/05/2022. Products containing 900 g/kg chlorothalonil included under *Products to be used*. Issued as version 2.