

PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT FOR CONTROL OF GREY MOULD DISEASE IN SNOW PEAS AND SUGAR SNAP PEAS

PERMIT NUMBER – PER14505

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 01 JULY 2014 TO 30 SEPTEMBER 2026

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA Level 7, 141 Walker Street NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally

CONDITIONS OF USE

Products to be used:

NUFARM PROTECTOR 400 SC FUNGICIDE (APVMA NO. 67725) PLUS OTHER REGISTERED PRODUCTS Containing: 400 g/L PYRIMETHANIL as the only active constituent.

SCALA 600 SC FUNGICIDE (APVMA No. 60445)
PLUS OTHER REGISTERED PRODUCTS
Containing: 600 g/L PVPIMETHANIL as the only active constitute

Containing: 600 g/L PYRIMETHANIL as the only active constituent.

RESTRAINT:

Apply only to field grown plants or those grown in well-ventilated plastic tunnel houses or glass houses.

Spray drift restraints:

Specific definitions for terms used in this section of the label can be found at apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Directions for Use:

Crop	Pest	Rate
SNOW PEAS SUGAR SNAP PEAS (Protected and Field Situations)	Grey Mould (Botrytis cinerea)	400 g/L product: 200 mL/100L or 2 L/ha 600 g/L product: 125 mL/100L or 1.25 L/ha

Critical Use Comments:

- DO NOT apply more than three (3) applications per crop. Apply at 7-10 day intervals, alternating with a fungicide of a different chemical group.
- DO NOT apply more than two (2) consecutive applications per crop.
- Apply when conditions favor disease development (during flowering).
- Use the shorter application interval when disease pressure is high.
- Use water volumes that ensure adequate penetration of the plant canopy and coverage of foliage, flowers and/or fruit.
- Refer to product label for information on re-entry period.
- Follow a complete disease management program for Botrytis (Grey Mould) by rotating with fungicides from different chemical groups as per the CropLife Fungicide Resistance Management Guidelines.

Phytotoxicity Warning:

The vapour activity of products included in this permit may cause damage (brown or necrotic spots) to crops grown in enclosed areas (e.g., glasshouses and plastic tunnels), particularly under conditions of poor ventilation and high humidity. The intensity and frequency of these effects depend on the relative humidity (i.e. above 80%), duration of vapour exposure and concentration of the spray solution.

To minimise the risk of crop damage:

- Tests should be conducted on a small number of plants to demonstrate tolerance, prior to large scale use. Plant growth stage and environmental conditions should be similar for the test and any subsequent large-scale use.
- Apply to only field-grown plants, or to plants grown in WELL-VENTILATED glass houses, plastic tunnel houses, or similar protected cropping structures.
- Ensure any protected environment is well ventilated during and following application (for at least two hours following application).

Withholding Periods:

Harvest: DO NOT harvest for 3 DAYS after last application. Grazing: DO NOT graze treated crops or cut for stock feed.

Jurisdiction:

All states and territories, except Victoria.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with the instructions on its label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. An MRL has been established for PYRIMETHANIL in PODDED PEA (young pods) [snow and sugar snap]. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 01/05/2018 – Permit amended to update holder details. Permit issued as version 2.

05/06/2018 – Permit amended to update product name and add additional formulation. Permit issued as version 3. 10/04/2019 – Permit expiry date extended to June 2024. Reference to re-entry period on product label added.

Permit issued as version 4.

24/09/2024 – Permit updated to include spray drift restraints and s161 statement. Permit expiry extended to 30/09/2026. Version 4 expired 30/06/2024. Permit issued as version 5 on 24/09/2024

PER14505 Version 5 Page 3 of 3