

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR GRASS AND BROADLEAF WEED CONTROL IN ADZUKI & FABA BEANS

PERMIT NUMBER - PER14726

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

PERMIT IN FORCE FROM 9 DECEMBER 2014 UNTIL 30 SEPTEMBER 2024

Permit Holder:

PULSE AUSTRALIA LIMITED Suite 501, Level 5, 6 Help St Chatswood, NSW 2067

Persons who can use the product under this permit:

Persons generally

CONDITIONS OF USE

Product to be used:

RAPTOR WG HERBICIDE PLUS OTHER REGISTERED PRODUCTS containing 700 g/kg IMAZAMOX as their only active constituent.

CROP CARE CLAW 350SL HERBICIDE PLUS OTHER REGISTERED PRODUCTS containing 350 g/kg IMAZAMOX as their only active constituent.

Directions for Use:

RESTRAINTS:

DO NOT apply to crops or weeds stressed by factors such as root or foliar diseases, water logging, nutrient deficiencies or extremes of temperature and moisture.

DO NOT apply to crops stressed by any previous herbicide treatments.

DO NOT use oil or mix with other products containing emulsifying agents.

DO NOT apply if frost is forecast.

DO NOT use RAPTOR WG HERBICIDE (or equivalent) after simazine.

DO NOT exceed 250 g a.i./ha of Diuron if use of RAPTOR WG HERBICIDE (or equivalent) is planned.

DO NOT roll faba or broad beans after germination if use of RAPTOR WG HERBICIDE (or equivalent) is planned.

DO NOT use adjuvants other than BS 1000 or equivalent.

CROP	WEEDS CONTROLLED	RATE PER HECTARE	WHP	CRITICAL COMMENTS
Post-	As per label for	350g/L product:	GRAZING:	DO NOT apply to crops beyond
emergence	field peas	100mL plus	6 weeks	the 6 leaf stage.
U	1	BS 1000,		
Azuki beans		(or equivalent),	HARVEST:	
(Vigna		at 200 mL per	Not required	
angularis)		100 L water	when used as directed.	
		700g/kg product: 50 g plus BS 1000,		
		(or equivalent), at 200 mL per 100 L water		
Faba beans	_	250g/L myodysts		Surroy at the 2.6 made growth
and		350g/L product: 90mL plus		Spray at the 3-6 node growth stage of faba or broad beans,
broad beans		BS 1000,		approximately 30-40 days after
(Vicia faba)		(or equivalent),		sowing.
(ricia jasa)		at 200 mL per		Sowing.
		100 L water		
		700g/kg product:		
		45 g plus BS 1000,		
		(or equivalent),		
		at 200mL per 100L		
		water.		

OTHER CRITICAL COMMENTS:

DO NOT apply more than 1 application per season.

Apply to actively growing broadleaved weeds in the cotyledon to 3 leaf stage. Apply to grass weeds up to the 2 tiller stage.

Good crop growth will aid weed control. Weeds may not be totally controlled but populations will be significantly reduced and surviving plants will generally be severely retarded. Ensure that crop agronomy is correct, to provide competition to such weeds.

CROP SAFETY WARNINGS:

Leaf yellowing and height suppression may occur, especially under adverse growing conditions such as moisture stress. Flowering may be delayed.

This product may cause shortening of plant internodes and transient crop yellowing is more pronounced under poor growth conditions including conditions of prolonged moisture stress.

FOLLOW CROPS, refer to section of product label regarding follow crops for appropriate plant back periods.

Jurisdiction:

All States except Victoria.

(<u>Note</u>: Victoria is not included in this permit because their 'control-of-use' legislation means that a permit is not required to legalise this off-label use in VIC).

Additional Conditions:

This Permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in Details of Permit and Conditions of Permit.

Export of produce:

To allow treated produce to be supplied or otherwise made available for human consumption Temporary Maximum Residue Limits (TMRL) have been established for Imazmox covering the commodity Adzuki bean (dry) and Broad beans (dry) [faba beans] at *0.05mg/kg. For animal feed commodity TMRL have been established for Imazmox covering the commodity Adzuki bean forage and fodder [fresh weight] and Faba bean forage and fodder [fresh weight]*0.05mg/kg. The MRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Note:

6/01/2016. Addition of 350g/L products. Issued as version 2. 5/07/2019 Extended to 30 Sept 2024

PER14726 Permit Version 3 Page 3 of 3