



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT**

**FOR CONTROL OF IDENTIFIED QUARANTINE INSECT PESTS OR DISEASES IN  
NON-FOOD NURSERY STOCK**

**PERMIT NUMBER - PER14856**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 14 MAY 2018 TO 31 MAY 2023**

**Permit Holder:**

NURSERY & GARDEN INDUSTRY AUSTRALIA  
c- AGAWARE CONSULTING PTY LTD  
21 Rosella Avenue  
STRATHFIELDSAYE VIC 3551

**Persons who can use the product under this permit:**

Persons generally.

## DIRECTIONS FOR USE

This permit is issued to allow the off-label use of registered products containing the active constituents, bifenthrin, chlorothalonil, chlorpyrifos, imidacloprid and mancozeb on nursery stock for the purposes of intra and interstate quarantine.

Nursery Stock is defined as non-food crops and limited food crops (as listed below) grown under nursery conditions.

**NOTE: NOT all nursery stock may be treated under this permit as certain restrictions apply to some chemicals and commodities as contained in the following attachments.**

- Attachment 1 Bifenthrin
- Attachment 2 Chlorothalonil
- Attachment 3 Chlorpyrifos
- Attachment 4 Imidacloprid
- Attachment 5 Mancozeb

Use must be undertaken in accordance with ALL the Details (i.e. Products, Directions for use, Critical use comments) and Additional Conditions of that Attachment.

### Critical Use Comments:

- This permit authorizes use in a covered or protected situation/facility<sup>1</sup>.
- Apply in accordance with the ICA 25<sup>2</sup> operational procedure.
- DO NOT handle, package or ship treated plants for 24 hours following application. Any manual handling within 24 hours of treatment must be conducted wearing PPE in accordance with the label directions under RE-ENTRY PERIOD.
- Adhere to all *Safety Directions* listed on product label.
- Dangerous to bees. DO NOT spray any plants in flower when bees are actively foraging.

### Jurisdiction:

ACT, NSW, QLD, SA, TAS and NT only.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation does not require a permit to legalise this off-label use in that state.

### Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

---

<sup>1</sup> Facility: as defined in ICA 25.

<sup>2</sup> Interstate Certification Assurance (ICA) scheme

***To Avoid Damage to Host Plants***

The sensitivity of some species and varieties of plants to be treated under this permit has not been fully evaluated under all growing conditions. It is advisable to treat a small number of plants and closely monitor plant health. Discontinue applications when any adverse symptoms post-treatment are observed.

***Efficacy and Domestic Market Access***

No determination has been made in regard to the efficacy of this use pattern to meet domestic quarantine and market access requirements as these are determined by each State and Territory. Further information on ICA Operational Procedures may be found on the DOMESTIC QUARANTINE & MARKET ACCESS website<sup>3</sup>.

This permit should not be used without first determining that the destination market will accept goods treated in accordance with the use pattern authorized under this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority

---

<sup>3</sup><http://www.interstatequarantine.org.au/producers/>



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

## ATTACHMENT 1

### **QUARANTINE PEST MANAGEMENT – BIFENTHRIN**

#### **PRODUCTS:**

TALSTAR 80 SC INSECTICIDE/MITICIDE [APVMA No. 45703]

Plus other REGISTERED PRODUCTS

Containing: 80 g/L BIFENTHRIN as their only active constituent.

TALSTAR 100 EC INSECTICIDE/MITICIDE [APVMA No. 45704]

Plus other REGISTERED PRODUCTS

Containing: 100 g/L BIFENTHRIN as their only active constituent.

TALSTAR 250 EC INSECTICIDE/MITICIDE [APVMA No. 60987]

Plus other REGISTERED PRODUCTS

Containing: 250 g/L BIFENTHRIN as their only active constituent

#### **DIRECTIONS FOR USE:**

<b>Crop</b>	<b>Target Insect Pest</b>	<b>Application Rate</b>
* FRUITS - potted seedlings and young plants (non-bearing). * HERBS - potted transplants. * NURSERY STOCK - potted seedlings and young plants. * VEGETABLES - potted transplants. <b>ALL PLANTS ARE NOT FOR DIRECT CONSUMPTION</b>	Identified quarantine insect pests	<u>80 g/L bifenthrin products</u> 60 mL / 100 L  <u>100 g/L bifenthrin products</u> 50 mL / 100 L  <u>250 g/L bifenthrin products</u> 20 mL / 100 L

#### **CRITICAL USE COMMENTS:**

- Apply only one (1) of the recommended insecticides to each crop.
- Apply as a foliar application to all above ground parts to the point of run-off to containerised seedlings, plants and pots prior to shipment interstate.
- Add wetting agent at the recommended rate.

#### **WITHHOLDING PERIOD:**

Not required when used as directed.

#### **ADDITIONAL CONDITIONS:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

#### **Precaution**

The sensitivity of some species and varieties of the crops to be treated under this permit has not been evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

## ATTACHMENT 2

### **QUARANTINE PEST MANAGEMENT - CHLOROTHALONIL**

#### **PRODUCTS:**

CONAN 500 FUNGICIDE [APVMA No. 80829]

Plus other REGISTERED PRODUCTS

Containing: 500 g/L CHLOROTHALONIL as their only active

RAINBOW CHLOROTHALONIL 720 SC FUNGICIDE [APVMA No. 69652]

Plus other REGISTERED PRODUCTS

Containing: 720 g/L CHLOROTHALONIL as their only active

#### **DIRECTIONS FOR USE**

<b>Crop</b>	<b>Target Disease</b>	<b>Application rate</b>
FRUITS - potted seedlings and young plants (non-bearing). * HERBS - potted transplants. * NURSERY STOCK - potted seedlings and young plants. * VEGETABLES - potted transplants. <b>ALL PLANTS ARE NOT FOR DIRECT CONSUMPTION</b>	Identified quarantine disease	<u>500 g/L chlorothalonil products</u> 200 mL / 100 L  <u>720 g/L chlorothalonil products</u> 140 mL / 100 L

#### **CRITICAL USE COMMENTS:**

- Apply only one (1) of the recommended fungicides to each crop.
- Apply as a foliar application to all above ground parts to the point of run-off to containerised seedlings, plants and pots prior to shipment interstate.
- Add wetting agent to all treatments at the recommended rate.

#### **WITHHOLDING PERIOD:**

Not required when used as directed.

#### **ADDITIONAL CONDITIONS:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

#### **Precaution**

The sensitivity of some species and varieties of the crops to be treated under this permit has not been evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

### ATTACHMENT 3

## **QUARANTINE PEST MANAGEMENT - CHLORPYRIFOS**

### PRODUCTS:

NUFARM CHLORPYRIFOS 500 EC INSECTICIDE [APVMA No. 32902]

Plus other REGISTERED PRODUCTS

Containing: 500 g/L CHLORPYRIFOS as their only active constituent.

### DIRECTIONS FOR USE:

<b>Crop</b>	<b>Target Insect Pest</b>	<b>Application Rate</b>
FRUITS - potted seedlings and young plants (non-bearing). * HERBS - potted transplants. * NURSERY STOCK - potted seedlings and young plants. * VEGETABLES - potted transplants. <b>ALL PLANTS ARE NOT FOR DIRECT CONSUMPTION</b>	Identified quarantine insect pests	40 mL product per 100 L + wetter Full immersion or drenching of container and root ball in a solution of chlorpyrifos.

### CRITICAL USE COMMENTS:

- Apply as a drench or immersion of root ball.

### WITHHOLDING PERIOD:

Not required when used as directed.

### ADDITIONAL CONDITIONS:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

### **Precaution**

The sensitivity of some species and varieties of the crops to be treated under this permit has not been evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

## ATTACHMENT 4

### **QUARANTINE PEST MANAGEMENT - IMIDACLOPRID**

#### **PRODUCTS:**

CONFIDOR 200 SC INSECTICIDE [APVMA No. 50548]

Plus other REGISTERED PRODUCTS

Containing: 200 g/L IMIDACLOPRID as their only active constituent.

#### **DIRECTIONS FOR USE:**

<b>Crop</b>	<b>Target Insect Pest</b>	<b>Application Rate</b>
FRUITS - potted seedlings and young plants (non-bearing). * HERBS - potted transplants. * NURSERY STOCK - potted seedlings and young plants. * VEGETABLES - potted transplants. <b>ALL PLANTS ARE NOT FOR DIRECT CONSUMPTION</b>	Identified quarantine insect pests	25 mL / 100 L

#### **CRITICAL USE COMMENTS:**

- ONLY apply one of the recommended insecticide to each crop.
- Apply as a as a foliar application to all above ground parts to the point of run-off to containerised seedlings, plants and pots prior to shipment interstate.
- Add wetting agent to all treatments at the recommended rate.

#### **WITHHOLDING PERIOD:**

Not required when used as directed.

#### **ADDITIONAL CONDITIONS:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

#### **Precaution**

The sensitivity of some species and varieties of the crops to be treated under this permit has not been evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.



## ATTACHMENT 5

### **QUARANTINE PEST MANAGEMENT - MANCOZEB**

#### **PRODUCTS:**

IMTRADE MANCOZEB 750 DF FUNGICIDE [APVMA No. 63513]

Plus other REGISTERED PRODUCTS

Containing: 750 g/kg MANCOZEB as their only active constituent.

SABERO MANCOZEB 800WP FUNGICIDE [APVMA No. 54452]

Plus other REGISTERED PRODUCTS

Containing: 800 g/kg MANCOZEB as their only active constituent.

#### **DIRECTIONS FOR USE:**

<b>Crop</b>	<b>Target Disease</b>	<b>Application Rate</b>
FRUITS - potted seedlings and young plants (non-bearing). * HERBS - potted transplants. * NURSERY STOCK - potted seedlings and young plants. * VEGETABLES - potted transplants. <b>ALL PLANTS ARE NOT FOR DIRECT CONSUMPTION</b>	Identified quarantine disease	<u>750 g/kg mancozeb products</u> 180 g / 100 L  <u>800 g/kg mancozeb products</u> 150 g / 100 L

#### **CRITICAL USE COMMENTS:**

- ONLY apply one of the recommended fungicides to each crop.
- Apply as a a foliar application to all above ground parts to the point of run-off to containerised seedlings, plants and pots prior to shipment interstate.
- Add wetting agent to all treatments at the recommended rate.

#### **WITHHOLDING PERIOD:**

Not required when used as directed.

#### **ADDITIONAL CONDITIONS:**

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

#### **Precaution**

The sensitivity of some species and varieties of the crops to be treated under this permit has not been evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.