



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR CONTROL OF ALTERNARIA AND CERCOSPORA
LEAF SPOT DISEASES ON BEETROOT**

PERMIT NUMBER - PER14891

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 JANUARY 2015 TO 30 SEPTEMBER 2024

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

FLINT 500 WG FUNGICIDE [APVMA No. 53871]

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/kg TRIFLOXYSTROBIN as the only active constituent.

Directions for Use:

Crop Type	Plant Disease	Application Rate
BEETROOT	Alternaria Leaf Spot (<i>Alternaria</i> spp.) Cercospora Leaf spot (<i>Cercospora beticola</i>)	20 - 25 g product / 100 L when spray volume exceeds 800 L/ha up to a maximum 1,000 L/ha OR 200 - 300 g product / ha when spray volume is between 500 - 800 L/ha

Critical Use Comments:

- Apply strategically as part of a disease management program at the first signs of conditions that favour disease development. The strategic use as a protective treatment is recommended. Use as a curative treatment is NOT recommended.
- DO NOT apply more than three sprays per season.
- DO NOT apply consecutive treatments. Always alternate with an approved fungicide from a different Mode of Action group.
- DO NOT allow the treatment interval between *Flint* and an alternative MoA group fungicide to exceed 10 days.
- Use the higher rate and a shorter application interval when disease pressure is high.
- DO NOT apply in volumes less than 500 L/ha and DO NOT exceed a maximum spray volume of 1,000 L/ha.

Withholding Period:

Harvest – DO NOT harvest for 7 DAYS after application.

Grazing – DO NOT graze or cut treated crop for stock feed for 7 DAYS after application.

Jurisdiction:

All STATES and TERRITORIES, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in DETAILS and CONDITIONS of this permit.

To Avoid Crop Damage

The sensitivity of some species and varieties of the crops to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

Residues & Export of Produce

To allow produce from treated plants to be supplied or otherwise made available for consumption the APVMA has established the following temporary Maximum Residue Limits (TMRLs):

Trifloxystrobin

Beetroot T0.5 mg/kg

Beetroot leaves T10 mg/kg

These limits only apply to produce marketed and consumed within Australia. If trifloxystrobin produce is to be exported, due account should be taken of tolerance limits of importing countries and any residues must not exceed those tolerance limits.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Notes

03/05/2018. Permit holder details updated. Issued as version 2.

8/07/2019. Expiry date extended to 30/09/2024. Issued as version 3.