

PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL

PRODUCT FOR CONTROL OF GREY MOULD IN BRUSSELS SPROUTS AND EGGPLANT

PERMIT NUMBER - PER80910

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 AUGUST 2015 TO 31 JULY 2025.

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD Level 7, 141 Walker Street NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

PER80910 Version 3 Page 1 of 3

CONDITIONS OF USE

Products to be used:

ROVRAL AQUAFLO FUNGICIDE (APVMA No. 45725)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L IPRODIONE as the only active constituent.

Directions for Use:

Crop	Disease	Rate
Brussels Sprouts	Grey Mould	1 L/ha
Eggplant (field only)	(Botrytis cinerea)	100 mL/100 L

Critical Use Comments:

Brussels sprouts

- Apply as per label instructions for tomatoes.
- Commence spraying 3 to 4 weeks after transplanting, or at the onset of disease.
- Repeat treatment at 14-day intervals or when conditions favour spread of the disease.

Eggplant

- Apply at 7 to 10 day intervals during periods of high disease pressure, alternating with a fungicide of a different MoA chemical group.
- DO NOT apply more than three (3) applications per crop.
- Use is accordance with CropLife Australia fungicide resistance management strategy: Iprodione is a Group 2 (Dicarboximide) fungicide. Group 2 also includes procymidone.
 - o Tank mix with a protectant such as chlorothalonil. Avoid applying two Group 2 fungicide sprays in succession, unless tank mixed with a protectant.
 - o DO NOT apply more than four (4) Group 2 fungicide sprays per season per crop.

Withholding Period:

Harvest: Do not harvest for 7 days after application.

Grazing: DO NOT graze treated Brussels sprouts plants or cut for stock food.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Resistance Management

Fungicide Resistance Management Strategies have been developed by CropLife Australia. An updated version of these strategies is available from CropLife Australia's website at http://www.croplifeaustralia.org.au.

Export of treated produce

Maximum Residue Limits (MRLs) or Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for IPRODIONE in BRUSSELS SPROUTS and EGGPLANT. MRLs can be found in the *Agricultural and Veterinary Chemicals Code Instrument No. 4 (MRL Standard)*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority.

Note: 10/05/2018 – Permit updated to update permit holder details. Permit issued as Version 2. 08/05/2020 – Permit updated to clarify use in field grown eggplant only and permit expiry extended to 31/07/2025. Permit issued as Version 3.

PER80910 Version 3 Page 3 of 3