



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF VARIOUS DISEASES IN PARSLEY**

**PERMIT NUMBER – PER80977**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 8 DECEMBER 2015 TO 31 JANUARY 2026**

**Permit Holder:**

HORTICULTURE INNOVATION AUSTRALIA LTD  
Level 7, 141 Walker Street  
NORTH SYDNEY 2060

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

TILT 250 EC FUNGICIDE (APVMA No. 62205)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L PROPICONAZOLE as the only active constituent.

PROPIMAX FUNGICIDE (APVMA No. 59517)

PLUS OTHER REGISTERED PRODUCTS

Containing: 435 g/L PROPICONAZOLE as the only active constituent.

NUFARM THROTTLE 500 FUNGICIDE (APVMA No. 60401)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L PROPICONAZOLE as the only active constituent.

### Directions for Use:

Crop	Disease	Rate
Parsley (field and protected grown crops)	Septoria Spot ( <i>Septoria</i> spp.)	<u>250 g/L propiconazole products:</u> 500 mL/ha
	Cercospora ( <i>Cercospora</i> spp.)	<u>435 g/L propiconazole products:</u> 290 mL/ha
	Rusts ( <i>Puccinia</i> spp.)	<u>500 g/L propiconazole products:</u> 250 mL/ha
	Powdery Mildew ( <i>Erysiphe heraclei</i> )	

### Critical Use Comments:

- Apply when disease symptoms are first observed, then repeat foliar treatment when weather conditions favour disease development.
- DO NOT apply more than two (2) applications per season, with a minimum interval of 14 days between consecutive treatments.
- Apply using calibrated ground boom spray or similar equipment.
- Apply sufficient spray volume to ensure thorough coverage of all foliage.

### Withholding Period:

Harvest: Do not harvest for 14 days after application.

Grazing: Do not graze or cut for stock food after application.

### Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

### Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

*To Avoid Crop Damage*

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

*Export of treated produce*

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. A TMRL has been established for PROPICONAZOLE in PARSLEY. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 10/05/2018 – Permit updated to update permit holder details. Permit issued as Version 2.

18/01/2021 –Permit expiry extended to 31/01/2026. Permit issued as Version 3.