



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF ANTHRACNOSE IN ALBUS LUPINS**

PERMIT NUMBER – PER82209

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 1 NOVEMBER 2016 TO 30 JUNE 2026

Permit Holder:

PULSE AUSTRALIA LIMITED
SUITE 501 LEVEL 5
6 HELP STREET
CHATSWOOD NSW 2067

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

WHACK 500 FUNGICIDE (APVMA No. 54641)

PLUS OTHER REGISTERED PRODUCTS

Containing: 500 g/L CHLOROTHALONIL as the only active constituent

BRAVO FUNGICIDE (APVMA No. 54115)

PLUS OTHER REGISTERED PRODUCTS

Containing: 720 g/L CHLOROTHALONIL as the only active constituent

IMTRADE WHACK 900 WG FUNGICIDE (APVMA No. 61278)

PLUS OTHER REGISTERED PRODUCTS

Containing: 900 g/kg CHLOROTHALONIL as the only active constituent.

Directions for Use:

Crop	Pest / Disease	Rate
Albus lupins	Anthracnose (<i>Colletotrichum lupini</i>)	500g/L products: 2 L/ha 720g/L products: 1.5 L/ha 900g/kg products: 1.1 kg/ha

Critical Use Comments:

- DO NOT apply more than 2 applications per crop.
- DO NOT apply less than 14 days after the initial treatment.
- Spray when stems, flowers or pods show first signs of infection and weather conditions are likely to remain humid or wet and favour disease development.

Spray volume per hectare:

- Ground application 100 L or more
- Aerial application 30 L or more

Withholding Period:

Harvest: Do not harvest for 14 days after application.

Grazing: Do not graze or cut for stock food for 14 weeks after application.

DO NOT GRAZE OR FEED TREATED FORAGE OR FODDER TO LIVESTOCK WHICH MAY BE USED TO PRODUCE MILK FOR HUMAN CONSUMPTION.

LIVESTOCK DESTINED FOR EXPORT MARKETS

The grazing withholding period only applies to stock slaughtered for the domestic market.

Some export markets apply different standards. To meet these standards, ensure that in addition to complying with the grazing withholding period, the Export Slaughter Interval is observed before stock are sold or slaughtered.

EXPORT SLAUGHTER INTERVAL (ESI) – 63 DAYS

Livestock that have been grazed on, or fed treated forage, fodder or stubble should be placed on clean feed for 63 days (9 weeks) prior to export slaughter.

Jurisdiction:

NSW and WA only.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

Export of treated produce

Maximum Residue Limits (MRLs) have been established to allow treated produce to be used for human and/or animal consumption. An MRL has been established for chlorothalonil in pulses. MRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2019*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 02/03/2017 – Permit updated to extend permit jurisdiction into New South Wales. Permit issued as Version 2.

30/06/2021. Permit expiry extended to 30 June 2026. Permit issued as Version 3.