



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT
FOR CONTROL OF ANTHRACNOSE IN LUPINS**

PERMIT NUMBER – PER82226

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 21 SEPTEMBER 2016 to 31 OCTOBER 2024

Permit Holder:

PULSE AUSTRALIA LIMITED
Suite 501, Level 5, 6 Help Street
CHATSWOOD NSW 2067

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

AMISTAR 250 SC FUNGICIDE (APVMA No. 58340)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L AZOXYSTROBIN as the only active constituent

Directions for Use:

Crop Type	Target Disease	Application Rate
ALBUS LUPINS	Anthracnose (<i>Colletotrichum lupini</i>)	500 mL product / ha

Critical Use Comments:

- Apply up to two (2) foliar applications per season. The first application must be applied before disease is established and no later than the onset of flowering. A second application can be made 10-14 days after the first application.
- Add a non-ionic surfactant at the recommended label rate.
- Apply using calibrated boom sprayer or aerial equipment.
- Refer to product label for information on resistance management.
- Comply with spray drift restraints and mandatory no-spray zones outlined below.

Ground Application:

- Apply as a foliar spray in a spray volume of 50-100 L/ha.

Aerial Application:

- Product must only be applied with aircraft fitted with accurately calibrated equipment. Apply a minimum total spray volume of 30 L/ha with nozzles (e.g. Micro® rotary atomisers, CP nozzles or conventional hydraulic nozzles) set to a minimum spray quality of MEDIUM according to ASAE S572 definition for standard nozzles.

Withholding Periods:

Harvest: DO NOT harvest for 28 DAYS after last application.

Grazing: DO NOT graze or cut for livestock feed for 28 DAYS after last application.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that State.

SPRAY DRIFT RESTRAINTS

- DO NOT apply with spray droplets smaller than a MEDIUM spray droplet size.
- DO NOT apply when wind speed is less than 3 or more than 20 kilometres per hour as measured at the application site.
- DO NOT apply during surface temperature inversion conditions at the application site.

MANDATORY NO-SPRAY ZONES

DO NOT apply if there are aquatic and wetland areas including aquaculture ponds, surface streams and rivers downwind from the application area and within the **mandatory no-spray zones** shown in Table 1 below.

Table 1 – No-Spray Zones for Protection of the Aquatic Environment		
FOR AERIAL APPLICATION		
Wind Speed Range at Time of Application	Downwind Mandatory No-Spray Zone	
	Fixed-wing	Helicopter
from 3 to 8 kilometres per hour	250 m	140 m
from 8 to 14 kilometres per hour	350 m	200 m
from 14 to 20 kilometres per hour	400 m	200 m
FOR GROUND APPLICATION		
from 3 to 20 kilometres per hour	10 m	

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit.

Export of treated produce

Maximum Residue Limits (MRLs) have been established to allow treated produce to be used for human or animal consumption. MRLs can be found in the *Agricultural and Veterinary Chemicals Code Instrument No. 4 (MRL Standard) 2012*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue limits/tolerances of importing countries. Residues must not exceed requirements of the importing country.

Issued by Australian Pesticides and Veterinary Medicines Authority

Note: 02/07/2019. Expiry date extended to 31/10/2024. Non-technical edits made to 'Critical Use Comments' and 'Export of treated produce' statements. Issued as version 2.