



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

FOR GRASS AND BROADLEAF WEED CONTROL IN MUNG BEANS

PERMIT NUMBER – PER82490

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

PERMIT IN FORCE FROM 6 DECEMBER 2016 UNTIL 30 NOVEMBER 2021.

Permit Holder:

PULSE AUSTRALIA LIMITED
Level 10 Farrer House,
24–28 Collins St
Melbourne, VIC 3000

Persons who can use the product under this permit:

Persons generally

CONDITIONS OF USE

Product to be used:

RAPTOR WG HERBICIDE

PLUS OTHER REGISTERED PRODUCTS containing
700 g/kg IMAZAMOX as their only active constituent.

CROP CARE CLAW 350SL HERBICIDE

PLUS OTHER REGISTERED PRODUCTS containing
350 g/kg IMAZAMOX as their only active constituent.

Directions for Use:

RESTRAINTS:

DO NOT apply to crops or weeds stressed by factors such as root or foliar diseases, water logging, nutrient deficiencies or extremes of temperature and moisture.

DO NOT apply to crops stressed by any previous herbicide treatments.

DO NOT use oil or mix with other products containing emulsifying agents.

DO NOT apply if frost is forecast.

DO NOT use Imazamox after simazine.

DO NOT exceed 250 g a.i./ha of Diuron if use of Imazamox is planned.

DO NOT use adjuvants other than BS 1000 or equivalent.

CROP	WEEDS CONTROLLED	RATE PER HECTARE
Post-emergence Mung Beans (<i>Vigna radiata</i>)	As per label for Peanuts and Soybeans (post-emergence)	350g/L product: 100mL plus BS 1000,(or equivalent), at 200 mL per 100 L water 700g/kg product: 50 g plus BS 1000, (or equivalent), at 200 mL per 100 L water

Critical Comments:

- Apply by ground boom only. DO NOT apply more than 1 application per season.
- DO NOT apply to crops beyond the 6 leaf stage.
- Apply to actively growing broadleaved weeds in the cotyledon to 3 leaf stage. Apply to grass weeds up to the 2 tiller stage.
- Good crop growth will aid weed control. Weeds may not be totally controlled but populations will be significantly reduced and surviving plants will generally be severely retarded. Ensure that crop agronomy is correct, to provide competition to such weeds.

CROP SAFETY WARNINGS:

This product may cause shortening of plant internodes and may in some circumstances lead to transient crop yellowing but plants will soon recover. This effect is more pronounced under poor growth conditions including conditions of prolonged moisture stress.

FOLLOW CROPS, refer to section of product label regarding follow crops for appropriate plant back periods.

Withholding Period:

Harvest: Not required when used as directed.

Grazing: Do not graze or cut for stock food for 6 weeks after application.

Jurisdiction:

NSW and QLD only.

Additional Conditions:

This Permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the permit particularly the information included in Details of Permit and Conditions of Permit.

Export of produce:

To allow treated produce to be supplied or otherwise made available for human consumption a Temporary Maximum Residue Limit (TMRL) has been established for Imazmox covering the commodity Mung bean (dry) at *0.05mg/kg.

An animal feed commodity TMRL has been established for Imazmox covering the commodity Mung bean forage and fodder [fresh weight] at *0.05mg/kg.

The MRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should therefore be taken of the residue definition and residue limits/import tolerances of importing countries and that any residues must not exceed those requirements of the importing country.

Issued by Australian Pesticides and Veterinary Medicines Authority