



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF REGISTERED AND UNREGISTERED AGVET
CHEMICAL PRODUCTS**

**FOR USE AS DISINFECTANTS FOR TREATMENT OF EQUIPMENT, FABRIC AND
SURFACES IN CASE OF AN OUTBREAK OF FOOT AND MOUTH DISEASE**

PERMIT NUMBER – PER83649

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the Product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the Product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 20 DECEMBER 2018 TO 30 NOVEMBER 2028

Permit Holder:

DEPARTMENT OF AGRICULTURE, FISHERIES AND FORESTRY
CQ2 70 Northbourne Ave
CANBERRA ACT 2617

Persons who can use the Product under this permit:

Owners and employees of affected properties; owners or persons in charge of vehicles or equipment operating in declared areas; employees of the Australian Government and state and territory government Departments of Agriculture, Primary Industries or equivalent. Other personnel as directed by the Chief Veterinary Officer of the jurisdiction in which the disinfectant is to be used.

CONDITIONS OF USE

Products to be used:

Registered products:

VIRKON S THE BROAD SPECTRUM VIRUCIDAL BACTERICIDAL FUNGICIDAL DISINFECTANT (APVMA No. 48185)

VIRALFX THE BROAD SPECTRUM VIRUCIDAL, BACTERICIDAL, FUNGICIDAL DISINFECTANT AND CLEANER (APVMA No. 65691)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 494 g/kg POTASSIUM PEROXOMONOSULFATE TRIPLE SALT, 132 g/kg SODIUM DODECYL BENZENE SULFONATE and 15 g/kg SODIUM CHLORIDE as the only active constituents.

DISINFECTANT FARMCARE VIRUGARD BROAD SPECTRUM VIRUCIDAL, BACTERICIDAL AND FUNGICIDAL POWDER DISINFECTANT (APVMA No. 60917)

VIRABAN BROAD SPECTRUM VIRUCIDAL, BACTERICIDAL AND FUNGICIDAL POWDER DISINFECTANT (APVMA No. 65013)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 504 g/kg POTASSIUM PEROXOMONOSULFATE TRIPLE SALT, 150 g/kg SODIUM DODECYL BENZENE SULFONATE and 15 g/kg SODIUM CHLORIDE as the only active constituents.

DAIRY-CHLOR 12.5% DISINFECTANT-SANITISER LIQUID SODIUM HYPOCHLORITE (APVMA No. 59747)

GEA AG CHLOR DAIRY SANITISER (APVMA No. 84678)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 125 g/L available CHLORINE (Cl) present as SODIUM HYPOCHLORITE as the only active constituent.

GEA QUANTUM ALKALI MILKING MACHINE DETERGENT (APVMA No. 84752)

RUA-KLENZA RKL 400 LOW FOAM DAIRY DETERGENT (APVMA 54229)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 400 g/L SODIUM HYDROXIDE as the only active constituent.

TERMINATOR BROAD SPECTRUM DISINFECTANT (APVMA No. 51744)

CSA BACTERCIDE (APVMA No. 65229)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 150 g/L GLUTARALDEHYDE and 100 g/L QUATERNARY AMMONIUM as the only active constituents.

CCC FORMALDEHYDE SOLUTION (APVMA No. 64228)

SAHELY FORMALIN FORMALDEHYDE SOLUTION (APVMA No. 47238)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 400 g/L FORMALDEHYDE as the only active constituent.

VIROCID BROAD SPECTRUM DISINFECTANT (APVMA No. 86445)

PLUS OTHER SIMILAR REGISTERED PRODUCTS

Containing: 170 g/L ALKYL DIMETHYLBENZYLAMMONIUMCHLORIDE 107 g/L GLUTARALDEHYDE 78 g/L DIDECYLDIMETHYLAMMONIUMCHLORIDE

Unregistered products:

CITRIC ACID, Anhydrous powder [C₆H₈O₇]

SODIUM CARBONATE, Anhydrous powder [Na₂CO₃]

SODIUM CARBONATE, Washing soda crystals [Na₂CO₃.10H₂O]

Directions for Use

For use as disinfectants for the treatment of equipment, fabric and surfaces in case of an outbreak of foot and mouth disease

- For all situations you **MUST** clean with soap or detergent first and then rinse with water to remove organic matter.
- Ensure all wastewater remains on site.
- Ensure best management practices are followed to prevent or minimise odour and water pollution.
- All users must comply with their relevant state and territory Environmental legislation.

Disinfectant	Rate	Application	Caution
494 g/kg of potassium peroxomonosulfate triple salt, 132 g/kg of sodium dodecyl benzene sulfonate, and 15 g/kg of sodium chloride (Virkon S)	10 g / L	Pre-clean surfaces to remove organic matter. Saturate hard nonporous surfaces, equipment, clothes and small items with 1% VIRKON S solution using a cloth, mop, spray or sponge. Allow surfaces and equipment to remain visibly wet for a period of 10 minutes. Allow surfaces to air dry. Rinse feeders and water trays with potable water	Do not immerse metal objects in VIRKON S for prolonged periods; adhere to specified contact times. It is mildly corrosive to many metals.
Sodium hypochlorite 125 g/L	40 mL / L	Final dose: 0.5% solution (equivalent to 40 mL/L). Soak clothes, footwear and small equipment for 15-30 minutes. For surfaces apply at a rate of 1 – 1.5 L/m ² and soak for 15 minutes on non-porous surfaces and 30 minutes on porous surfaces. Do not use high pressure sprays.	Toxic for eyes and skin – wear protective clothing, mask and gloves. Corrosive for many metals. Corrosive liquid. Harmful if swallowed. Will damage the eyes. Product will irritate the eyes, nose, throat and skin. Avoid contact with eyes, skin and clothing. DO NOT inhale vapour. Ensure adequate ventilation when using. When opening the containing and using the product, wear rubber gloves. If product on skin, immediately wash area with soap and water. If product in eyes, immediately wash out with water. Wash hands after use. Use clean containers for dispensing. DO NOT mix with other chemicals. DO NOT mix with different types of chlorinating chemicals. Mix with water only.

<p>Sodium hydroxide 400 g/L</p>	<p>50 mL / L</p>	<p>Final dose: 2% solution (equivalent 50 ml/L).</p> <p>Always add the product to the water. Soak clothes, footwear and small equipment for at least 10 minutes.</p> <p>For surfaces apply at a rate of 1-1.5 L/m² and soak for at least 10 minutes. Do not use high pressure sprays.</p>	<p>Do not use in the presence of aluminium or derived alloys. Wear protective (water resistant) clothing, gloves and safety glasses. Corrosive. Product is poisonous if swallowed. The product is alkaline. Avoid contact with eyes, skin and clothing. When preparing and using the wash solution wear elbow-length neoprene gloves and face-shield or goggles. If product or wash solution on skin, immediately wash area with soap and water. Wash hands after use. After each day's use, wash gloves, face-shield or goggles and contaminated clothing.</p>
<p>Glutaraldehyde with Quaternary Ammonium Compounds (QACs)</p> <p>(Available as 150 g/L of glutaraldehyde. Therefore 1 part 15% glutaraldehyde to 7.5 parts water = 2% final conc. 1000/7.5=133 mL/L.)</p>	<p>133 mL/L</p>	<p>2% solution (equivalent to 133 mL/L). Clean equipment with soap or detergent first and rinse with water. Immerse for minimum of 10 mins at 35°C and 20 mins at 25°C. Maintain solution at pH>7. Efficacy may be increased by raising the temperature e.g. to 60°C.</p>	<p>Avoid eye and skin contact.</p>

<p>107.0 g/L glutaraldehyde, 78 g/L didecyldimethylammoniumchloride, and 170 g/L alkyldimethylbenzyl ammoniumchloride (Virocid)</p>	<p>10 ml /L</p>	<p>Final dilution 1%. Soak clothes/small items and equipment for at least 10 minutes. For surface cleaning, apply at rate of 1-1.5 L/m². Do not use high pressure sprays.</p>	<p>Poisonous if swallowed. Harmful to eyes and skin. Corrosive, attacks eyes. Will irritate nose, throat and skin. Avoid contact with eyes and skin. Do not inhale vapour or spray. DO NOT contact treated surfaces for 30 minutes after treatment. Ensure adequate ventilation in areas where product is used. A re-entry time of 2 hours after treatment is recommended. Personal protective equipment (PVC apron, cotton overalls, elbow-length chemical resistant gloves, goggles, impervious footwear and half-face respirator with organic vapour/gas cartridge) must be worn while removing clothing, small items and equipment from the disinfectant solution. Clothing should be washed, and other equipment rinsed thoroughly before using to ensure there is no remaining disinfectant. All directions for use on the product label (such as ensuring surfaces are clean prior to disinfection) must be followed.</p>
<p>Formaldehyde 400 g/L</p>	<p>100 mL / L</p>	<p>Apply disinfectant at a rate of 1 – 1.5 L/m². Do not use high pressure sprays</p>	<p>Releases toxic gas, irritating to mucous membranes. Formaldehyde products must only be used by persons appropriately trained and experienced in the use and handling of formaldehyde and is recommended only if other methods of decontamination cannot be used. Half-face respirator with cartridge specified for formaldehyde must be worn when opening the container and using the product. Bystander safety (exposure mitigation measures) must be addressed prior to the commencement of the disinfectant treatment</p>
<p>Citric Acid</p>	<p>30 g /L</p>	<p>3% solution (equivalent to 30 g/L). Non-porous surfaces apply for 15 minutes. Porous surfaces apply for 30 minutes.</p>	<p>Corrosive. Avoid contact with eyes and skin. Wear protective eye wear.</p>

Sodium Carbonate Anhydrous	40 g/L	4% solution (equivalent to 40 g/L) for 20 mins.	Mildly caustic for eyes and skin. Avoid use on aluminium and similar alloys.
Sodium Carbonate Washing Soda	100 g/L	10% solution (equivalent to 100 g/L) for 30 mins.	Mildly caustic for eyes and skin. Avoid use on aluminium and similar alloys.

NOTE: Glutaraldehyde and Quaternary Ammonium Compounds are only available as a combined product. The final concentration is based off the Glutaraldehyde % or ppm

NOTE: EFFICACY of some of the products and proposed uses under this permit has not been thoroughly determined however efficacy is reasonably expected due to the broad-spectrum nature of the products.

Safety Directions and Personal Protective Equipment

- Follow label First aid instructions as listed on the product label for registered products. In some cases, the safety directions listed on the label are not sufficiently protective, due to the higher concentrations to be used. Additional Safety Directions are specified in the ‘caution’ column above.
- For industrial grade chemicals (e.g. citric acid and sodium carbonate) follow *Safety Directions* and First aid instructions as listed on the label and the *Safety Data Sheet* issued by the supplier/manufacturer of the product.
- As a minimum, when opening product containers, preparing spray solutions and during use wear elbow length butyl rubber or PVC gloves, cotton overalls buttoned to the neck and wrist, washable hat, chemical resistant boots and goggles/face mask.
- If products or prepared solutions come into contact with skin, immediately wash the area with soap & water.
- If products or prepared solutions come into contact with eyes, immediately wash it out with water.

Jurisdiction:

All States and Territories

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the Product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 23/11/2023 – Permit updated to add a new product, VIROCID. Permit template updated to current standard, added s161 condition. Permit expiry extended to 30/11/2028. Permit issued as Version 2.