



PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT

**FOR CONTROL OF TOMATO POTATO PSYLLID IN FRUITING VEGETABLES
AND ROOT AND TUBER VEGETABLES**

PERMIT NUMBER – PER84743

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 24 OCTOBER 2017 to 31 OCTOBER 2022

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LIMITED
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

TRANSFORM INSECTICIDE [APVMA No. 64101]

Containing: 240 g/L SULFOXAFLOL as the only active constituent.

Directions for Use:

Restraint

DO NOT use in covered or protected situations such as glasshouses, greenhouses, shade houses or plastic tunnels.

Crop Type	Insect Pest	Application Rate
FRUITING VEGETABLES Including peppers, eggplant, and tomatoes [excluding sweet corn] ROOT AND TUBER VEGETABLES Including potatoes and sweet potatoes	Tomato Potato Psyllid (<i>Bactericera cockerelli</i>)	400 mL product / ha

Critical Use Comments:

- Apply as foliar cover spray immediately the psyllid pest is detected.
- Apply a maximum of four (4) foliar applications per season, with a 7 – 10 day re-treatment interval between sprays.
- DO NOT make more than two (2) consecutive applications per crop.
- Apply in sufficient water volume to achieve through coverage of all plant foliage.
- Apply using calibrated boom sprayer or equivalent equipment.
- Sulfoxaflor is highly toxic to bees. DO NOT apply this product while bees are foraging in the crop to be treated (refer *Additional Conditions and product label*).

Withholding Period:

Harvest:

Fruiting vegetables: DO NOT harvest for 1 DAY after final application.

Root and tuber vegetables: DO NOT harvest for 7 DAYS after final application.

Grazing: Not required when used as directed.

Jurisdiction:

ALL STATES except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This PERMIT provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

PERSONS who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the DETAILS and CONDITIONS of this permit.

Dangerous to Bees:

Highly toxic to bees. Sulfoxaflor residue deposits will kill foraging bees directly exposed through contact during spraying and while spray droplets are still wet. May harm bees in hives which are over-sprayed or reached by spray drift. **DO NOT** apply this product while bees are foraging in the crop to be treated.

Issued by Australian Pesticides and Veterinary Medicines Authority