



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT**

FOR SUPPRESSION OF FRUIT FLY ON SPECIFIED BERRY FRUIT

PERMIT NUMBER – PER87408

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 15 APRIL 2019 TO 30 APRIL 2024

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LIMITED
Level 8, 1 Chifley Square
SYDNEY NSW 2000

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

SUCCESS NEO INSECTICIDE (APVMA No. 64109)

Containing: 120 g/L SPINETORAM as the only active constituent.

Directions for Use:

Crop	Pests	Rate
STRAWBERRIES RUBUS & RUBUS HYBRIDS BLUEBERRIES	SUPPRESSION ONLY OF: QUEENSLAND FRUIT FLY (<i>Bactrocera tryoni</i>) LESSER QUEENSLAND FRUIT FLY (<i>Bactrocera neohumeralis</i>) MEDITERRANEAN FRUIT FLY (<i>Ceratitis capitata</i>)	40 mL/100L (maximum 400 mL/ha)

Critical Use Comments:

- THIS TREATMENT IS FOR SUPPRESSION OF ADULT FLIES ONLY. Spinetoram MUST be used in conjunction with other control strategies to be effective in reducing fruit fly damage to below economic thresholds.
- Identify the need for treatment based on pest pressure, as determined by regular crop scouting and fruit fly trapping.
- Apply as thorough foliar spray after flower set.
- Apply in 250–1000L of water/ha by ground-based boom sprayers only.
- DO NOT apply more than 4 applications per season, with a minimum 7-14 days between consecutive (repeat) sprays.
- DO NOT use human flaggers unless they are protected by engineering controls.
- DO NOT allow re-entry to treated areas until spray has dried, unless wearing appropriate PPE as specified on the product label.
- DO NOT contaminate waterways with product or containers.
- DO NOT allow irrigation water from treated paddocks/areas to enter adjacent pastures, crops or water supplies.
- HIGHLY toxic to bees. DO NOT spray while bees are actively foraging. Beekeepers who have hives in or nearby the area to be sprayed, should be notified no less than 48 hours prior to the time of planned application so that bees can be removed or otherwise protected prior to spraying.

Withholding Period:

Harvest: DO NOT harvest for 1 DAY after application.

Jurisdiction:

All states, except VIC.

Note: Victoria is not included, as their 'control-of-use' legislation means that a permit is not required to legalise this off-label use in that state.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

EXPORT OF PRODUCE:

To allow treated produce to be supplied or otherwise made available for human consumption, Maximum Residue Limits (MRLs) have been established for Spinetoram in 'Berries and other small fruits' at 0.5 mg/kg. This MRL applies only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue definition and residue limits of importing countries. Residues must not exceed requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority