



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL PRODUCT  
FOR CONTROL OF VARIOUS WEEDS IN LENTILS**

**PERMIT NUMBER – PER87417**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 5 JULY 2019 to 31 JULY 2024.**

**Permit Holder:**

PULSE AUSTRALIA LIMITED  
30 Coronga Street  
KILLARA NSW 2071

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Product to be used:

NUFARM INTERCEPT HERBICIDE (APVMA No. 69353)

PLUS OTHER REGISTERED PRODUCTS

Containing: 33g/L IMAZAMOX and 15g/L IMAZAPYR as the only active constituents.

### Directions for Use:

Crops	Target Weeds	Rate
LENTILS ( <i>Imidazolinone tolerant</i> )	Annual broadleaf and grass weeds (as indicated on product label)	375-750mL/ha  Plus  Hasten or Kwickin spray adjuvant at 500mL/100L spray volume.

### Restraint:

- DO NOT apply after BBCH 16.

### Critical Use Comments:

- Apply only to imidazolinone herbicide tolerant lentil varieties.
- Apply early post emergent at 3-6 node growth stage (BBCH 13-16), approximately 30-40 days after sowing.
- Apply to actively growing broadleaf weeds in the 2 to 6 leaf stage. Apply to actively growing grass weeds in the 3 leaf to 2 tiller stage.
- Apply as foliar application in a spray volume of 100L/ha, by boom spray.
- Apply a maximum of 1 application per crop.
- Comply with SPRAY DRIFT RESTRAINTS and MANDATORY NO-SPRAY ZONES on the product label.
- DO NOT apply by aircraft.
- DO NOT apply if rain is expected within 2 hours of application.
- DO NOT re-enter treated areas until spray has dried. If re-entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves.
- Refer to 'Follow crops' statement on the product label for information on re-cropping intervals.

### Withholding Periods:

Harvest: NOT required when used as directed.

Grazing: DO NOT graze or cut for stockfeed for 6 weeks after application.

### Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

### Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use the products for the purposes specified in this permit must read, or have read to them, the details and conditions of the permit.

**TO AVOID CROP DAMAGE:**

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable, therefore, to only treat a small number of plants to ascertain their reaction before treating the whole crop.

**EXPORT OF PRODUCE:**

To allow treated produce to be supplied or otherwise made available for human consumption, Maximum Residue Limits (MRLs) ('Food' and 'Animal Feed Commodity') have been established for Imazamox and Imazapyr in the commodity 'Lentil (dry)'. These MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, due account should be taken of the residue definition and residue limits/import tolerances of importing countries; any residues must not exceed requirements of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority.