



**PERMIT TO ALLOW MINOR USE OF AN AGVET CHEMICAL PRODUCT FOR  
THE CONTROL OF VARIOUS PSYLLIDS AND THRIPS IN  
NURSERY STOCK (NON-FOOD), CUT FLOWERS, FOLIAGE AND  
ORNAMENTALS**

**PERMIT NUMBER - 87433**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a Supplier (as indicated) to possess the product for the purposes of supply and to supply the product to a person who can use the product under permit. This permit also allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder, the Supplier (if not one and the same) and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 24 APRIL 2019 TO 30 APRIL 2022.**

**Permit Holder and Supplier:**

NURSERY & GARDEN INDUSTRY AUSTRALIA,  
c/o AGAWARE CONSULTING PTY LTD  
21 ROSELLA AVENUE,  
STRATHFIELDSAYE, VICTORIA 3551

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Product to be used:

SUCCESS NEO INSECTICIDE (64109)

Containing: 120 g/L SPINETORAM as the only active constituent.

### Directions for Use:

Crop	Pest	Rate
NURSERY STOCK (non-food) – seedlings, tubes & plugs, potted colour, trees & shrubs, foliage plants, palms, grasses and fruiting plants (non-bearing), CUT FLOWERS, FOLIAGE and ORNAMENTALS;	Psyllids ( <i>Bactericera cockerelli</i> ) (including tomato potato psyllid) and	400 mL/ha
	Thrips ( <i>Thrips palmi</i> , <i>Thrips imagines</i> ) (including melon thrips and plague thrips except western flower thrips)	or 40 mL/100L

### Critical Use Comments:

- Follow all label **recommendations, precautions and restraints**.
- Use a spray adjuvants at recommended rates.
- Monitor crops and commence application when pest are first detected. Follow up treatment may be necessary to control new infestations 7 to 14 days later.
- Apply as a foliar spray using ground based sprayer (hydraulic spray equipment, backpack sprayer or equivalent).
- DO NOT apply more than two (2) applications per crop per year with a minimum re-treatment interval of 7 days.
- Use sufficient water to ensure coverage of all plant surfaces.
- DO NOT apply this product while bees are foraging in the crop to be treated. Refer *Additional Conditions* and the *Protection of Honey Bees and other Insect Pollinators* statement on the product label.
- Notify authorities of the detection of these pests.
- Success Neo should not be used on vegetable or herb seedlings in a production nursery system.

### Crop Safety:

- Only treat a small area of the crop in order to ascertain crop safety before treating the whole crop. DO NOT continue treatment if the crop adversely reacts to the insecticide.

### Jurisdiction:

ALL STATES, except VIC.

Note: Victoria is not included in this permit, as their *Control-of-Use* legislation means a permit is not required to legalise this off-label use in that state.

### Additional Conditions:

Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Issued by Australian Pesticides and Veterinary Medicines Authority

