



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR SUPPRESSION OF BOTRYTIS AND GREY MOULD IN NURSERY
STOCK, CUT FLOWERS, FOLIAGE AND ORNAMENTALS**

PERMIT NUMBER – PER87437

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 4 JANUARY 2021 TO 31 JANUARY 2024

Permit Holder:

GREENLIFE INDUSTRY LIMITED
c/o AgAware Consulting Pty Ltd
21 Rosella Avenue
STRATHFIELDSAYE VIC 3551

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

BOTECTOR FUNGICIDE (APVMA No. 82495)

Containing: 5×10^9 cfu/g *AUREOBASIDIUM PULLULANS* (strains DSM 14940 and DSM 14941) as the only active constituent.

RESTRAINT:

DO NOT apply during the hottest part of the day when temperatures exceed 25°C.

DO NOT apply if rain or irrigation is likely to occur before the spray is dry.

Directions for Use:

Situation	Disease	Rate
Nursery stock (non-food) – seedlings, tubes and plugs, potted colour, trees and shrubs, foliage plants, palms and grasses, and fruiting plants (non-bearing)	Botrytis or Grey Mould (<i>Botrytis cinerea</i>)	100 g/100 L
Cut flowers	Suppression only.	or
Foliage		1 kg/ha
Ornamentals		

Critical Use Comments:

- Monitor the crop and apply preventatively when conditions favour disease development.
- Apply by air-blast sprayer, air-shear sprayer, back-pack mister, hand lance sprayer, spray boom or equivalent.
- Apply as a high volume spray ensuring thorough coverage of all foliage, up to the point of run-off.
- DO NOT apply more than 4 applications per crop.
- DO NOT apply less than 7 days after the initial treatment.
- Botector Fungicide will suppress Botrytis under low to moderate disease pressure; however it may only partially suppress Botrytis under high disease pressure. For treatment of high disease pressure, apply Botector Fungicide in alteration with other registered /permitted fungicide products.
- *Re-entry Period:*
Do not enter treated areas until spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and disposable gloves. After each day's use, wash contaminated clothing.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

To Avoid Crop Damage

The sensitivity of the crop to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

Issued by the Australian Pesticides and Veterinary Medicines Authority

PER87437

Version 1

Page 2 of 2