



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT TO MANAGE HARVEST MATURITY OF LINSEED AND CONTROL
LATE GERMINATION OF SELECTED WEEDS**

PERMIT NUMBER – PER87440

This permit is issued to the Permit Holder in response to an application granted by the APVMA under Section 112 of the *Agricultural and Veterinary Chemicals Code, scheduled to the Agricultural and Veterinary Chemicals Code Act 1994* (the Agvet Code) of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the Product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the Product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 28 NOVEMBER 2018 TO 31 OCTOBER 2029

Permit Holder:

AUSTRALIAN OILSEEDS FEDERATION INC
30 Coronga Crescent
KILLARA NSW 2071

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

NUFARM WEEDMASTER DST HERBICIDE (APVMA No. 62723)

PLUS OTHER REGISTERED PRODUCTS

Containing: 470 g/L GLYPHOSATE present as the as the POTASSIUM and MONO-AMMONIUM SALTS as the only active constituent.

NUFARM WEEDMASTER ARGO HERBICIDE (APVMA No. 68925)

PLUS OTHER REGISTERED PRODUCTS

Containing: 540 g/L GLYPHOSATE present as the as the POTASSIUM and ISOPROPYLAMINE SALTS as the only active constituent.

NUFARM CRUCIAL Herbicide (APVMA No. 86761)

PLUS OTHER REGISTERED PRODUCTS

Containing: 600 g/L GLYPHOSATE present as the as the POTASSIUM, MONOMETHYLAMINE and AMMONIUM SALTS as the only active constituent.

SHARPEN HERBICIDE (APVMA No. 62853)

Containing: 700 g/kg SAFLUFENACIL as the only active constituent.

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section can be found at apvma.gov.au/spraydrift.

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the buffer zone table below provide guidance but may not be sufficient in all situations.

Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

DO NOT apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

DO NOT apply by a boom sprayer unless the following requirements are met:

- spray droplets not smaller than a COARSE spray droplet size category
- minimum distances between the application site and downwind sensitive areas (see 'Mandatory buffer zones' section of the following table titled 'Buffer zones for boom sprayers') are observed.

Buffer zones for boom sprayers (metres)						
Application rate	Boom height above the target canopy	Bystander areas	Natural aquatic areas	Pollinator areas	Vegetation areas	Livestock areas
Tank mix of saflufenacil with glyphosate	0.5m or lower	0	0	0	30	0
	1.0m or lower	0	0	0	80	15

Directions for Use:

Crop Type	Purpose	Application Rate
LINSEED	PRE-HARVEST APPLICATION as a harvest-aid to avoid uneven maturity, improve speed of maturity, reduce broadleaf weed biomass and increase harvest efficiency.	<u>470 g/L glyphosate products</u> 2.0 L product / ha OR <u>540 g/L glyphosate products</u> 1.7 L product / ha OR <u>600 g/L glyphosate products</u> 1.6 L product / ha PLUS 34 g / ha Sharpen Herbicide PLUS 1% Hasten or high-quality methylated seed oil (MSO)

Critical Use Comments:

- Apply one (1) application only to physiologically mature linseed (70 – 80% of seed capsules turn brown, BBCH 87 – 90).
- Applying at growth stages prior to maturity may result in reduced crop yield and quality.
- Apply by boomspray.
- Use a spray volume of 100 L/ha.
- Apply according to all other label directions for pulses.
- DO NOT apply if heavy rains are imminent.
- May have a negative effect on germination. Not for use on crops intended for seed production.

Withholding Periods:

DO NOT harvest for 10 DAYS after application.

DO NOT graze or cut treated areas for stockfeed for 10 DAYS after application.

Export Slaughter Interval (ESI) – 30 days (Saflufenacil):

Livestock that has grazed on, or been fed treated forage, fodder, stubble or fallow should be placed on clean feed for 30 days prior to export slaughter.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Export of treated produce

Temporary Maximum Residue Limits (TMRLs) have been established to allow treated produce to be used for human consumption. TMRLs have been established for GLYPHOSATE and for SAFLUFENACIL in LINSEED. TMRLs can be found in the *Agricultural and Veterinary Chemicals Code (MRL Standard) Instrument 2023*. MRLs can be found in the *Agricultural and Veterinary Chemicals (MRL Standard for Residues of Chemical Products) Instrument 2023*. MRLs apply only to produce marketed and consumed in Australia. If treated produce is to be exported, residues must not exceed the limits/tolerances of the importing country.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 23/08/2021 – Permit updated to include new use pattern for Sharpen Herbicide. Permit issued as Version 2.

Note: 12/11/2021 – Permit expiry extended to 30/11/2024. Permit issued as Version 3.

Note: 28/10/2024– Permit updated to remove glyphosate only use pattern (now registered), replace unregistered glyphosate products, add application rates for 470 g/L and 600 g/L glyphosate products, updated spray drift restraints, add s161 condition, update export TMRL statement. Permit expiry extended to 31/10/2029. Permit issued as Version 4.