



**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR CONTROL OF LIRIOMYZA LEAFMINERS IN SNOW PEAS,
SUGAR SNAP PEAS AND GREEN BEANS**

PERMIT NUMBER - PER87878

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 11 FEBRUARY 2020 TO 28 FEBRUARY 2023

Permit Holder:

HORTICULTURE INNOVATION AUSTRALIA LTD
Level 7, 141 Walker Street
NORTH SYDNEY NSW 2060

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

SUCCESS NEO INSECTICIDE (APVMA No. 64109)

PLUS OTHER REGISTERED PRODUCTS

Containing: 120 g/L SPINETORAM as the only active constituent.

DELEGATE INSECTICIDE (APVMA No. 61717)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/kg SPINETORAM as the only active constituent.

Directions for Use:

Crops	Pest	Rate
Snow Peas Sugar Snap Peas Green Beans	Liriomyza Leafminers (<i>Liriomyza</i> spp.)	<u>120 g/L spinetoram product:</u> 400 mL/ha <u>250 g/kg spinetoram product:</u> 190 g/ha

Critical Use Comments:

- Apply first spray when leafminers first appear.
- Apply in sufficient water to give thorough coverage of foliage.
- The addition of a non-ionic wetting agent at the label rate is recommended in situations where achieving uniform plant coverage is difficult.
- DO NOT make more than three (3) applications per crop.
- Repeat applications at 7-14 day intervals as new infestations occur.
- Refer to product label for information on protection of bees and other non-target species.
- Refer to 'Insecticide Resistance Warning' on label for information on resistance management. Products should be used according to relevant CropLife insecticide resistance strategies.

Withholding Period:

Harvest: Do not harvest for 3 days after the last application.

Grazing: Do not graze or cut for stockfeed for 14 days after application. Do not allow dairy cattle to graze treated forage.

LIVESTOCK DESTINED FOR EXPORT MARKETS

To ensure compliance with residue standards in export markets, comply with the above grazing withholding periods and ensure that the Export Slaughter Interval (ESI) is observed before stock are sold or slaughtered.

Export Slaughter Interval: 42 days

This means that livestock that have grazed on or were fed treated crops should be placed on clean feed for at least the periods stated above prior to slaughter.

Jurisdiction:

All States and Territories, except VIC.

Note: Victoria is not included in this permit, as their Control-of-Use legislation means a permit is not required to legalise this off-label use in that State.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 23/02/2021 – Permit updated to add green beans use pattern. Permit issued as Version 2.