



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW MINOR USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT AS AN IN-FURROW APPLICATION FOR CONTROL OF LUCERNE CROWN  
BORER IN SOYA BEANS**

**PERMIT NUMBER – PER88226**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 18 JULY 2019 TO 31 OCTOBER 2027**

**Permit Holder:**

AUSTRALIAN OILSEEDS FEDERATION LIMITED  
Level 7, 12 O'Connell Street  
SYDNEY NSW 2000

**Persons who can use the product under this permit:**

Persons generally

## CONDITIONS OF USE

### Products to be used:

ENVIROMAX FIPRONIL 200SC INSECTICIDE (APVMA No. 65313)

PLUS OTHER REGISTERED PRODUCTS

Containing: 200 g/L FIPRONIL as the only active constituent.

4FARMERS FIPRONIL 800 WG INSECTICIDE (APVMA No. 65878)

PLUS OTHER REGISTERED PRODUCTS

Containing: 800 g/kg FIPRONIL as the only active constituent.

### RESTRAINT:

DO NOT apply fipronil as a seed treatment and in-furrow application to the same crop.

### SPRAY DRIFT RESTRAINTS:

Specific definitions for terms used in this section can be found at [apvma.gov.au/spraydrift](http://apvma.gov.au/spraydrift).

**DO NOT** allow bystanders to come into contact with the spray cloud.

**DO NOT** apply in a manner that may cause an unacceptable impact to native vegetation, agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

**DO NOT** apply unless the wind speed is between 3 and 20 kilometres per hour at the application site during the time of application.

**DO NOT** apply if there are hazardous surface temperature inversion conditions present at the application site during the time of application. Surface temperature inversion conditions exist most evenings 1 to 2 hours before sunset and persist until 1 to 2 hours after sunrise.

### Directions for Use:

Crop	Pest	Rate
Soya Bean (At planting to the planting furrow)	Lucerne Crown Borer ( <i>Zygrita diva</i> )	<b>200 g/L product</b> 322.5 mL product/ha  <b>800 g/kg product</b> 80 g product/ha

### Critical Use Comments:

- Apply one (1) application only at planting, to the planting furrow.
- Apply in a spray volume of 50-100 L/ha.

### RE-ENTRY

Public – DO NOT allow entry into treated areas until spray has dried.

Workers – DO NOT allow entry into treated areas until spray has dried. When prior entry is necessary, wear cotton overalls buttoned to neck and wrist (or equivalent clothing). Clothing must be laundered after each day's use.

### PROTECTION OF HONEY-BEES

Dangerous to bees. DO NOT apply where bees from managed hives are foraging and crops, weeds or cover crops are in flower at the time of spraying, or are expected to flower within 28 days. Before spraying, notify beekeepers to move hives to a safe location with an untreated source of nectar, if there is potential for managed bees to be affected by the spray or spray drift.

## **PROTECTION OF WILDLIFE, FISH AND CRUSTACEANS AND ENVIRONMENT**

Highly toxic to fish and aquatic organisms. DO NOT contaminate streams, rivers, or waterways with the chemical or used containers. DO NOT spray across open bodies of water. This product will kill susceptible non-target invertebrates, including beneficial species if they are exposed to the drift.

### **Withholding Period:**

Harvest: Not required when used as directed.

Grazing: DO NOT graze for 9 weeks after treatment.

### **Jurisdiction:**

NSW and QLD only.

### **Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

### *Other Matters*

Continued issuance of this permit is subject to the outcomes of the current APVMA review of fipronil. This permit may be impacted by the outcomes of this review.

The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994, in accordance with the obligation imposed by that section.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 22/09/2022 – Permit updated to include / modify protection statements. Re-entry statement is added. Spray drift statement is moved to a separate statement. Additional conditions updated to current standard. S161 statement added. Permit expiry extended to 30/09/2025. Permit issued as Version 2.

14/07/2025 – Permit updated to add spray drift restraints. Permit expiry extended to 31/07/2027. Permit issued as Version 3.

20/10/2025- Permit updated to amend the Holder as an administrative change.