



**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL
PRODUCT FOR THE CONTROL OF PASTURE MEALYBUG IN MIXED PASTURE**

PERMIT NUMBER - 88482

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows any person to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 16 SEPTEMBER 2019 TO 30 SEPTEMBER 2022.

Permit Holder:

MEAT AND LIVESTOCK AUSTRALIA LTD
C/O AgAware Consulting Pty Ltd
21 Rosella Avenue
STRATHFIELDSAYE VIC 3551.

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Product to be used:

MOVENTO 240 SC INSECTICIDE (APVMA No. 61864)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240g/L SPIROTETRAMAT as the only active constituent.

Directions for Use:

Crop	Pest	Rate
Mixed Pasture	Pasture Mealybug (<i>Heliococcus summervillei</i>)	400 mL/ha Plus Hasten Spray adjuvant at 1 L/ha.

Critical Use Comments:

- Ground Application only.
- DO NOT apply more than 2 applications (foliar spray) per crop.
- Apply by boomspray with a minimum retreatment interval of 14 days.
- Apply in a total spray volume of 150-300L/ha.
- Adjust spray volume based on pasture foliage density.
- Apply spray mixture to near point of run-off to ensure thorough coverage of all plant surfaces and crown of plant.
- If grazing is required to reduce dead foliage cover prior to spraying, allow sufficient regrowth of foliage prior to application as Movento requires green tissue for uptake.
- If grazing is not required prior to spraying, ensure plants are actively growing and sufficient foliage is present for Movento uptake.
- Monitor pest populations and apply when juveniles (crawlers) are first observed.
- Do not spray when pest species are well established.
- The primary effect of the product is on juvenile stages of the pest. Applications should be made when pest numbers are building rather than when pests are well established. Best results will be obtained when applied to low to moderate pest populations.
- A spray drift minimization strategy should be employed at all times when applying spray near sensitive areas.
- Comply with spray drift restraints and record keeping requirements on the product label.
- When applying near non-target pastures, livestock or land producing feed for livestock, comply with mandatory no-spray zones on the product label.
- DO NOT allow re-entry to treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing), and chemical resistant gloves.
- DO NOT spray if the grasses are flowering or if bees are present.
- DO NOT spray if mealybug predators have been released in the pasture.
- Follow the insecticide resistance warning and restraints on the product label.

Withholding Period:

GRAZING: DO NOT graze or cut for stock food for 14 days after application.

EXPORT SLAUGHTER INTERVAL (ESI): 3 days. Livestock that has been grazed on or fed treated crops should be placed on clean feed for 3 days prior to slaughter.

Jurisdiction:

NSW and QLD only.

Additional Conditions:

This permit provides for the use of a product in a manner other than specified on the approved label of the product. Unless otherwise stated in this permit, the use of the product must be in accordance with instructions on its label.

Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit.

TO AVOID CROP DAMAGE:

The sensitivity of some species to be treated under this permit has not been fully evaluated. It is advisable to only treat a small area of plants to ascertain their reaction before treating the whole pasture.

Note: 30/06/2020 permit amended to change grazing critical use comments. Issued as version 2.

Issued by Australian Pesticides and Veterinary Medicines Authority.