



Australian Government
**Australian Pesticides and
Veterinary Medicines Authority**

**PERMIT TO ALLOW SUPPLY AND MINOR USE OF A REGISTERED AGVET
CHEMICAL**

PRODUCT FOR CONTROL OF SARCOPTIC MANGE IN WOMBATS

PERMIT NUMBER – PER89040

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

THIS PERMIT IS IN FORCE FROM 15 JUNE 2020 TO 6 FEBRUARY 2024

Permit Holder:

WOMBAT PROTECTION SOCIETY OF AUSTRALIA LTD
183 Christophers Road
QUAAMA NSW 2550

Persons authorized for supply:

- The Permit Holder; and
- Wombat Mange Treatment Groups as authorised in writing by the Permit Holder

Persons who can use the product under this permit:

Persons generally.

CONDITIONS OF USE

Products to be used:

CYDECTIN POUR-ON FOR CATTLE AND RED DEER (APVMA No. 45970)

PLUS OTHER REGISTERED PRODUCTS

Containing: 5 g/L MOXIDECTIN as the only active constituent and 150 g/L

HYDROCARBON LIQUID as the only labelled solvent.

Product to be supplied in smaller containers, labelled (**Attachment 1**) only to be supplied as part of a Wombat mange treatment kit.

RESTRAINT:

DO NOT use in conjunction with any other treatments.

Directions for Use:

Host	Pest	Rate
Common or Bare Nose Wombat	Sarcoptic mange (<i>Sarcoptes scabiei</i>)	0.8 mL per kg body weight (maximum dose of 20 mL on an adult wombat). Once weekly for 15 weeks, delivered via a burrow flap or direct application with a pole & scoop to the wombat's back.

Critical Use Comments:

- The product must only be used by individuals who have been trained in classifying the stages of mange infection and observation of toxicity signs.
- Continued treatment in wombats which showed toxicity signs after the first treatment should be stopped or the dose reduced in consultation with a registered veterinarian.
- Any wombats that die after treatment should be reported to a veterinarian and a detailed post mortem should be carried out.
- Wombats with visible lacerations along the backline should not be treated with moxidectin.
- Due to the lipophilic nature of moxidectin and the lower proportion of body fat carried by wombats, an acute (immediate) poisoning effect is more likely to be seen in a wombat than chronic (long term) poisoning by repeated dosing over a long period. Do not overdose animals.

First Aid Directions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.

Safety Directions:

Poisonous if swallowed. Will irritate eyes and skin. Avoid contact with eyes and skin.

Wash hands after use. Do not inhale. May irritate the nose and throat.

Jurisdiction:

All States and Territories.

Additional Conditions:

1. This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless

otherwise stated, the use of the product must be in accordance with the product label.

2. The holder of the permit must notify the APVMA of new information, including relevant information in accordance with section 161 of the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*, in accordance with the obligation imposed by that section.
3. The Permit Holder must record any adverse experience associated with the use of the product that they are made aware of and report them to the APVMA as soon as possible.
4. The supplier must supply the product in a container that complies with the requirements of section 18 of the Agricultural and Veterinary Chemicals Code Regulations. Attached to this container must be a label which is consistent in content to the text in **Attachment 1**.
5. The Product must only be supplied as part of a Wombat mange treatment kit, which must contain at minimum: The registered label particulars, a printout of the sign consistent in content with the text in **Attachment 2** and instructions on its placement, a copy of this permit and directions for use consistent with this permit.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 30/06/2023 – Permit updated to add restraint to restrict use with other treatments. Permit expiry extended to 06/02/2024. Permit issued as Version 2.

28/07/2023 – Permit updated to correct the phone number in Attachment 2. Permit issued as version 3.

31/07/2023 – Permit updated to correct the website in Attachment 1. Permit issued as version 4.

Attachment 1: Label

CAUTION
FOR ANIMAL TREATMENT ONLY
INSERT REGISTERED PRODUCT NAME
5 g/L Moxidectin
150 g/L Hydrocarbon Liquid solvent
Dose rate: 0.8 mL / 1 kg wombat body weight
User MUST Read APVMA Permit 89040 before use
Poisons Information Centre. Phone: 13 11 26
www.wombatprotection.org.au

WOMBAT MANGE TREATMENT

A wombat with mange lives in this area.

The wombat is being treated by volunteers using a treatment that is applied to its skin via a burrow flap device or directly to its back via a pole and scoop (APVMA Permit 89040).

If you see this wombat please stay away from it.

WARNING: Do not touch or interfere with the burrow device

The burrow device contains: 5 g/L Moxidectin as the active, and 150 g/L Hydrocarbon Liquid solvent.

First Aid Directions:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 13 11 26.

Safety Directions:

Poisonous if swallowed. Will irritate eyes and skin. Avoid contact with eyes and skin. Wash hands after use. Do not inhale. May irritate the nose and throat.

For more information contact the permit holder:

www.wombatprotection.org.au

Phone: 0448 087 994.

E: mange@wombatprotection.org.au