



**Australian Government**  
**Australian Pesticides and  
Veterinary Medicines Authority**

**PERMIT TO ALLOW EMERGENCY USE OF A REGISTERED AGVET CHEMICAL  
PRODUCT FOR CONTROL OF ANNUAL GRASSES IN SUMMER FALLOW**

**PERMIT NUMBER – PER89322**

This permit is issued to the Permit Holder in response to an application granted by the APVMA under section 112 of the Agvet Codes of the jurisdictions set out below. This permit allows a person, as stipulated below, to use the product in the manner specified in this permit in the designated jurisdictions. This permit also allows the Permit Holder and any person stipulated below to claim that the product can be used in the manner specified in this permit.

**THIS PERMIT IS IN FORCE FROM 20 APRIL 2020 TO 31 AUGUST 2021**

**Permit Holder:**

GRAIN PRODUCERS AUSTRALIA LIMITED  
13 Wallace Street  
BRAIDWOOD NSW 2622

**Persons who can use the product under this permit:**

Persons generally.

## CONDITIONS OF USE

### Products to be used:

ARYSTA SELECT XTRA HERBICIDE (APVMA No. 65513)

PLUS OTHER REGISTERED PRODUCTS

Containing: 360 g/L CLETHODIM as the only active constituent.

ARYSTA SELECT HERBICIDE (APVMA No. 51144)

PLUS OTHER REGISTERED PRODUCTS

Containing: 240 g/L CLETHODIM as the only active constituent.

GRAMOXONE 250 HERBICIDE (APVMA No. 46531)

PLUS OTHER REGISTERED PRODUCTS

Containing: 250 g/L PARAQUAT as the only active constituent.

### Directions for Use:

Crop	Pest / Disease	Rate
Summer fallow	Glyphosate resistant/tolerant annual grasses such as Feathertop Rhodes grass, ( <i>Chloris virgata</i> ) Windmill grass ( <i>Chloris truncata</i> )  Barnyard grass ( <i>Echinochloa colona</i> )	<u>360 g/L CLETHODIM</u>  250-330 mL/ha followed by PARAQUAT 7-14 days later at a rate of 1.6-2.4 L/ha  <u>240 g/L CLETHODIM</u>  375-500 mL/ha followed by PARAQUAT 7-14 days later at a rate of 1.6-2.4 L/ha

### Critical Use Comments:

- Apply prior to planting.
- DO NOT plant any crop for 30 days after application of clethodim unless clethodim is registered for use in that crop.
- Apply by boomspray
- For ground application use a minimum spray volume of 50 L/ha. Use a spray volume of 150 L/ha when spraying dense grass populations.
- Clethodim products only - Apply via aircraft fitted with boom or Micronair equipment. Use a spray volume of 20-30 L/ha. Follow all aerial application instructions on the product label.
- DO NOT apply Paraquat products by Aerial means.
- DO NOT apply more than 1 application per crop.
- Apply the sequential application of paraquat 7-14 days after the clethodim application. The sequential application of paraquat is required for resistance management purposes.

### Withholding Period:

Not required when used as directed.

### Jurisdiction:

NSW and QLD only.

**Additional Conditions:**

This permit allows for the use of a product in a manner specified on the permit. Persons who wish to prepare for use and/or use products for the purposes specified in this permit must read, or have read to them, the details and conditions of this permit. Unless otherwise stated, the use of the product must be in accordance with the product label.

*To Avoid Crop Damage*

The sensitivity of crops planted following a summer fallow treated under this permit has not been fully evaluated. It is advisable to only treat a small area to ascertain the reaction before treating the whole crop.

*Other Matters*

Continued issuance of this permit is subject to the outcomes of the current APVMA review of paraquat. This permit may be impacted by the outcomes of this review.

Issued by the Australian Pesticides and Veterinary Medicines Authority

Note: 12/05/2020 – Added instructions for aerial application for clethodim and extended to August 31, 2021.

Issued as version 2.